



Royal
Horticultural
Society

Sharing the best in Gardening

The International Daffodil Register & Classified List (2008)

Eighth Supplement



© 2015 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

Charity registration number 222879 / SC038262

International Daffodil Registrar:
Melanie Underwood

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057632

Printed and bound in the UK by Page Bros, Norwich

The previous supplement (Seventh Supplement) was published on 1st December 2014

Cover: "Narcissus cyclamineus, Johnstoni and Triandrus albus"
from 1887 Barr and Son daffodil catalogue.
Image courtesy of RHS Lindley Library

EIGHTH SUPPLEMENT
to
THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)
2014–2015

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2014 and 30 June 2015. They are followed by a list of some other recent additions and amendments to the Register.

Registration	page 1
Notes on classification and description	page 2
Registrations 2014–2015	page 3
Additions and amendments to previous Supplements	page 22
Additions and amendments to the International Daffodil Register (2008)	page 22
Illustrations of descriptive terms	page 24

REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- The International Daffodil Registrar: Mrs Melanie Underwood
RHS Wisley, Woking, Surrey GU23 6QB, UK
Fax (44) 01483 211750
Email melanieunderwood@rhs.org.uk
- The National Daffodil Registrar (the Netherlands): Drs J. van Scheepen
KAVB, Postbus 175, 2180 AD Hillegom, the Netherlands
Fax (31) 2525 369 51
Email vanscheepen@kavb.NL
- The National Daffodil Registrar (Czech Republic): Ing. Ivan Karakoz
ul. Zizkova cp. 1539, 274 01 Slaný, Czech Republic
Email Karakoz@seznam.cz
- The National Daffodil Registrar (USA): Mrs Mary Lou Gripshover
1686 Grey Fox Trail, Milford, Ohio 45150, USA
Tel 001 513 248 9137
Email mgripshover@cinci.rr.com
- The National Daffodil Registrar (Japan): Miss Eri Komoriya
1196 Ohkido-Cho, Midori-ku, Chiba-City, Chiba 267-0057, Japan
Fax 81-43-294-8504
Email rxe12572@nifty.ne.jp
- The National Daffodil Registrar (Australia): Mrs Jennie Jamieson
11 Bromley Place, Kingsley, WA 6026, Australia
Fax (61) 89 409 1156
Email ndaaliaison@hotmail.com
- The National Daffodil Registrar (New Zealand): Mr Wilfred Hall
105 Wallace Loop Rd, Ihakara, RD1 Levin, New Zealand 5571
Email wilshe@xtra.co.nz

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See pp 22-23 for any notes of variability in previous registrations).

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant’s discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

– Green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

– Non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 13B in ‘Beyond’ are from the *RHS Colour Chart* (1966, 1986, 1995, 2001, 2007, 2015). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers’ comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on pp 24.

Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675mm) unless otherwise stated, when they will be described as Dwarf (less than 325mm) or Tall (more than 675mm).

Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

REGISTRATIONS 2014–2015

The following 161 cultivar names were registered between 1 July 2014 and 30 June 2015 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

To access the *International Daffodil Register and Classified List* (2008) and to download the PDF document *Supplements 1-7 Cumulative List of Registrations (Abridged)* go to:

www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

Entries follow the style of those in the *International Daffodil Register and Classified List* (2008) and may be interpreted accordingly (see p10 in the Register).

The seed parent is given before the pollen parent.

'Adalee' 6 Y-Y

(John R.Reed) John R.Reed, 2015

Parentage unknown; sdlg no. 2008-N-cyc.1

Early

'Afterburner' 11A Y-YOO

(Gordon Coombes, 2010) Gordon Coombes, 2014

'Valley Glow' × 'Jack Wood'; sdlg no. G1-10

Fl. 95mm wide; perianth segments 35mm long, broadly ovate, blunt, yellow, with slight white mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 25mm long, split to more than half its length, forming an outer and an inner whorl of three, each half the length of and almost as wide as the perianth segments and closely overlying them, orange, deeper in tone towards the rim, with yellow at base, bi-lobed, with lobes overlapping, frilled. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126386)

'Amber Valley' 1 Y-Y

(Clive Postles, 1989) Roger Braithwaite, 2014

Parentage unknown; sdlg no. CPS 405

Fl. 110mm wide; perianth segments broadly ovate, blunt, yellow, with prominent white mucro, spreading, plane or with margins a little incurving, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona funnel-shaped, ribbed, yellow, mouth wavy and irregularly lobed, with rim narrowly flanged and minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126343)

'Aston Heath' 1 Y-O

(Clive Postles) Roger Braithwaite, 2015

Parentage unknown; sdlg no. 308

Fl. 110mm wide; perianth segments very broadly ovate in outline, rounded at apex, yellow, with slight pale mucro, spreading, plane or with margins incurving, creased and of heavy substance, overlapping half; the inner segments narrower, with midrib showing; corona funnel-shaped, smooth, strong orange, paler towards base, mouth ribbed, a little expanded, lightly frilled and shallowly lobed, with rim narrowly flanged and

entire. Mid-season. Tall.

Nomenclatural Standard: colour print supplied by registrant (WSY0126456)

Asturiet Group 2

(Brian S.Duncan, 2010) Brian S.Duncan, 2015

N. asturiensis × *N. poeticus*; cross no. 6/47

Fl. star-shaped, 50–72mm wide; perianth segments 18–20mm long, ovate, blunt, white, with yellow at base, sometimes entirely yellow, spreading, plane or slightly twisted, smooth and of heavy substance, overlapping a quarter; the inner segments narrower; corona 12–18mm long, cup-shaped, angled, yellow, flushed orange or with orange at rim, mouth ribbed, a little expanded and lightly frilled, with rim notched. Dwarf. Early.

A group of seedlings similar in flower form and height but with variable flower colour from Y-O to WWY-YYO.

Nomenclatural Standard: colour print supplied by registrant (WSY0126498)

'Audrey Evans' 3 O-O

(D.C.MacArthur, 2003) D.C.MacArthur, 2014

'Ambergate' open pollinated; sdlg no. ED1403

Fl. 95mm wide, facing slightly upwards; perianth segments 40mm long, ovate, truncate, yellowish orange (22C), darker in tone along midrib, with pale mucro, spreading to a little reflexed, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 12mm long, bowl-shaped, ribbed, pinkish orange (30C), mouth straight, frilled and shallowly lobed, with rim crenate. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126365)

'Ava Grace' 2 W-W

(R.A.Scamp, 1996) R.A.Scamp, 2015

'Inverpolly' × 'April Love'; sdlg no. 688

Fl. 110mm wide; perianth segments 50mm long, broadly ovate, blunt, spreading, plane, with margins a little incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 30mm long, funnel-shaped, smooth, mouth expanded, wavy and lobed, with rim flanged and dentate. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126426)

'Barbara Ann' 2 W-W

(Clive Postles) Roger Braithwaite, 2015

Parentage unknown; sdlg no. 895

Fl. 120mm wide; perianth segments very broadly ovate in outline, rounded at apex, prominently mucronate, spreading, plane, with margins narrowly incurling towards apex, smooth and of heavy substance, overlapping half; the inner segments narrower, truncate, less prominently mucronate, shouldered at base; corona funnel-shaped, smooth, mouth a little expanded, wavy and irregularly lobed, with rim flanged and minutely crenate. Mid-season. Tall. Nomenclatural Standard: colour print supplied by registrant (WSY0126458)

'Belize' 2 YYW-WWY

(A.J.R.Pearson, 1993) A.J.R.Pearson, 2015

Sdlg 81-17-F1 ('Camelot' × 'Daydream') × 'Gin and Lime'; sdlg no. 96-9-Q28

Fl. forming a double triangle, 110mm wide, facing upwards; perianth segments 43mm long, ovate, blunt, dark lemon yellow (5A), with creamy white (150D) at base, spreading, plane, with margins incurling, smooth and of heavy substance; the inner segments narrower, shouldered at base; corona 40mm wide, cylindrical, smooth, creamy white (150D), with a band of dark lemon yellow (5A) at rim, mouth flared, ribbed and lobed, with rim crenate. Mid-season

'Bella Charm' 2 W-P

(J.W.Buxton) P.D.K.Ramsay, 2015

'Aircastle' × 'Emerald Pink'; sdlg no. 97/107C

Fl. 112mm wide; perianth segments 45mm long, very broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 40mm long, funnel-shaped, smooth, mouth flared and even, with rim entire. Mid-season

'Bella Gem' 2 W-P

(J.W.Buxton) P.D.K.Ramsay, 2015

'Pink Sapphire' × 'Polar Glow'; sdlg no. 41/98

Fl. 115mm wide, facing upwards; perianth segments 46mm long, very broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 37mm long, funnel-shaped, smooth, mouth expanded and even, with rim flanged and entire. Mid-season

'Bell Star' 5 W-W

(Brian S.Duncan, 2010) Brian S.Duncan, 2015

'Hillstar' × 'Little Bell'; sdlg no. 3615

Fls 3-4 per stem, star-shaped, 80mm wide, facing slightly downwards; perianth segments 40mm long, ovate, blunt, mucronate, a little reflexed, plane or with margins incurved, smooth and of membranaceous substance, overlapping at base only; the inner segments narrower, scarcely mucronate; corona 13mm long, cup-shaped, smooth, mouth a little expanded, lightly ribbed, with rim narrowly flanged

and entire. Scented. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126484)

'Benjamin' 2 W-W

(Clive Postles) Roger Braithwaite, 2015

Parentage unknown; sdlg no. 2-91

Fl. 110mm wide; perianth segments very broadly ovate, blunt, spreading, plane, with margins incurling towards apex, creased and of heavy substance, overlapping half; the inner segments narrower; corona funnel-shaped, angled, mouth expanded, lightly frilled and irregularly lobed, with rim flanged and minutely crenate. Mid-season. Tall. Nomenclatural Standard: colour print supplied by registrant (WSY0126459)

'Beyond' 3 W-YYR

(David Jackson, 2002) Jackson's Daffodils, 2015

Parentage unknown; sdlg no. 7/02

Fl. rounded, 104mm wide; perianth segments 46mm long, roundish, blunt, mucronate, greenish white 155A, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, truncate, not noticeably mucronate; corona 15mm long, disc-shaped, ribbed, brilliant yellow 13B, with a broad band of vivid yellowish red (30C) at rim, mouth expanded and frilled, with rim dentate. Early to mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126478)

'Bramcote Star' 2 Y-O

(Clive Postles, 1992) Roger Braithwaite, 2014

Parentage unknown; sdlg no. CPS 335

Fl. 108mm wide; perianth segments broadly ovate, blunt, yellow, with slight white mucro, spreading, plane or with margins incurling, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona cylindrical, angled, orange, mouth a little expanded and lightly frilled, with rim minutely crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126342)

'Bramcote Village' 2 Y-O

(Clive Postles, 1990) Roger Braithwaite, 2014

Parentage unknown; sdlg no. CPS 1-36-90

Fl. 110mm wide; perianth segments broadly ovate, blunt, yellow, with slight white mucro, spreading, plane or with margins incurling, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona funnel-shaped, angled, orange, mouth ribbed, lightly frilled and irregularly lobed, with lobes overlapping in places, rim minutely crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126344)

'Bramley Vale' 1 W-Y

(Clive Postles) Roger Braithwaite, 2015
Parentage unknown; sdlg no. 332
Fl. rounded, 115mm wide; perianth segments rounded in outline, mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona funnel-shaped, smooth, mouth wavy and a little expanded, with rim broadly flanged and minutely crenate. Mid-season. Tall.
Nomenclatural Standard: colour print supplied by registrant (WSY0126460)

'Breezand Tristar' 11a W-Y

(Janis Rukšāns, 1986) Janis Rukšāns, 2014
'April Tears' × 'Canasta'; sdlg no. 86-22-1
Fls 1–5 per stem. Very late

'Brouhaha' 3 W-YYO

(David Jackson, 2002) Jackson's Daffodils, 2015
Parentage unknown; sdlg no. 48/02
Fl. 105mm wide; perianth segments 45mm long, very broadly ovate, blunt, slightly mucronate, greenish white 155A, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate; corona 14mm long, bowl-shaped, ribbed, vivid yellow 9A, with a broad band of vivid orange 28B at rim, mouth expanded and frilled. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126481)

'Calverley CE School' 3 Y-Y

(R Beckwith, 2006) R Beckwith, 2015
'Moon Shadow' × 'Nonchalant'; sdlg no. 4-12-2001
Fl. 95mm wide; perianth segments 40mm long, ovate, blunt, mucronate, light greenish yellow 4B, spreading, plane or with margins slightly incurving, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 11mm wide, bowl-shaped, ribbed, vivid yellow 12A, mouth expanded, wavy and shallowly lobed, with rim narrowly flanged. Sweetly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126464)

'Chee Dale' 4 W-Y

(Clive Postles, 1994) Roger Braithwaite, 2014
Parentage unknown; sdlg no. CPS 702
Fl. 110mm wide; perianth and other petaloid segments in three or more whorls; the outer whorl roundish, blunt, mucronate, spreading, slightly concave, smooth and of heavy substance, overlapping half; the inner segments narrower; the inner whorls successively shorter and more strongly inflexed towards centre, concave or folded inwards along midrib; corona segments one-fifth the length of the outer petaloid segments and interspersed among the inner petaloid segments, wavy. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126341)

'Chloe May' 4 Y-W

(Chris Yates, 2012) Chris Yates, 2015
'Doubleday' × 'Flor d'Luna'; sdlg no. Y1-7-06
Fl. rounded, 98mm wide; perianth and other petaloid segments in more than one whorl; the outer whorl very broadly ovate, blunt, yellow, with slight white mucro, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner whorls narrower, successively shorter and more inflexed towards the centre, margins wavy; corona segments interspersed among the inner perianth segments, white, margins wavy to lightly frilled, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126415)

'Citron Moon' 10 Y-Y

(Brian S.Duncan, 2002) Brian S.Duncan, 2015
Open pollinated *N. bulbocodium* from Oukaimeden, Morocco; sdlg no. 3011
Fl. star-shaped, 35mm wide, lime-yellow; perianth segments 12mm long, lanceolate in outline, acute at apex, spreading, plane, smooth and of membranaceous substance, separated; corona 15mm long, bowl-shaped, ribbed, mouth widely expanded, a little wavy, with rim crenate. Dwarf. Very early (mid-January onwards).
Nomenclatural Standard: colour print supplied by registrant (WSY0126415)

'Clown's Ruff' 11a Y-Y

(W.A.Bender) David Burdick, 2015
'Grapillon' × 'Pops Legacy'; sdlg no. 94/30
Fl. 94mm wide, facing upwards, mid-yellow; perianth segments 38mm long, broadly ovate, blunt, with slight pale mucro, a little reflexed, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base; corona 36mm long, split to base into six segments, each opposite a perianth segment, deeply bi-lobed, wavy and a little inflexed. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126497)

'Collette' 5 W-W

(Carlos van der Veeke) Roger Braithwaite, 2015
Parentage unknown; sdlg no. 10-88
Fls 4–5 per stem, 105mm wide; pure white.
Mid-season

'Conway' 2 Y-Y

(M.E.Brogden, 2005) Brogden Bulbs, 2015
'Otaihape' × 'Sunline'; sdlg no. BB01-4-05/3
Fl. forming a double triangle; perianth segments very broadly ovate in outline, rounded at apex, spreading, plane, smooth and of heavy substance, overlapping one-third; corona cup-shaped, smooth, mouth expanded and even, with rim flanged and crenate. Early

'Cornish Couple' 4 W-Y

(R.A.Scamp, 1994) R.A.Scamp, 2015
'Rainbow' × ('Gay Time' × 'Tibet'); sdlg no. 113x88
Fl. 100mm wide; perianth and other petaloid segments in several whorls, white; the outer two whorls 40mm long, ovate, broad, truncate, slightly mucronate, spreading, plane, a little creased, of membranaceous substance; the inner whorls narrower, scarcely mucronate, successively more inflexed towards centre, concave or folded inwards from midrib; corona segments half the length of the outer perianth segments, golden yellow, interspersed among the inner perianth segments, folded along midrib. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126468)

'Coughton Court' 1 W-Y

(Clive Postles, 1998) Roger Braithwaite, 2014
Parentage unknown; sdlg no. CPS 321
Fl. 120mm wide; perianth segments roundish, very broad, blunt, scarcely mucronate, spreading, plane or with margins a little incurling towards apex, smooth and of heavy substance, overlapping half; the inner segments narrower; corona cylindrical, smooth, mouth a little wavy and irregularly lobed, with lobes overlapping in places, rim broadly flanged and minutely crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126339)

'Courtyard Gold' 6 Y-Y

(Walter J.M.Blom, 2007) Walter J.M.Blom, 2015
Sdlg 206-10 × *N. cyclamineus*; sdlg no. 019-16
Fl. forming a double triangle, 75mm wide, facing upwards, vivid yellow 9A; perianth segments 30mm long, ovate, blunt, strongly reflexed, convex, with margins incurved, with midrib showing, of heavy substance, overlapping half; corona 35mm long, cylindrical, mouth expanded, ribbed and wavy, with rim flanged and dentate. Sweetly scented. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126437)

Crème Fraîche Group 3 Y-Y

(Mrs Anne Wright, 2012) Mrs Anne Wright, 2015
N. rupicola subsp. *uatierei* × 'Spring Charm'; cross no. 3136
Fl. 28mm wide, light greenish yellow 5D; perianth segments 13mm long, ovate to oblong, blunt, pale mucro, spreading, plane, with margins a little incurved, smooth and of heavy substance, overlapping one-third; the inner segments a little narrower, scarcely mucronate, truncate; corona 4mm long, bowl-shaped, smooth, mouth flared, six-lobed, with rim minutely crenate. Sweetly scented. Early.
Neatly lobed corona; similar to Panna Cotta Group but generally stems 30mm taller.
Nomenclatural Standard: colour print supplied by registrant (WSY0126451)

'Cutloose' 11A W-YPP

(David Jackson, 2004) Jackson's Daffodils, 2015
'Pink Holly' × 'Precocious'; sdlg no. 23/04
Fl. rounded, 97mm wide; perianth segments 35mm long, roundish, very broad, truncate, greenish white 155A, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt; corona 25mm long, split to base, forming an outer and an inner whorl of three segments, each a little narrower than and closely overlying a perianth segment, orange-pink (29B), with a band of vivid greenish yellow 2B at base, heavily frilled. Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126482)

'Danger Bells' 2 Y-R

(David Adams, 1996) David Adams, 2014
Sdlg 82/29 ('Checkmate' open pollinated) × 'Danger'; sdlg no. 89/113A
Fl. rounded, 104mm wide; perianth segments 44mm long, very broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; corona 20mm long, cup-shaped, mouth straight, ribbed and frilled, with rim crenate. Mid-season

'Dear Corrine' 2 Y-OYY

(van Ruiten) Ivor Fox, 2015
'Jetfire' hybrid
Fl. 75mm wide; perianth segments 30mm long, ovate, truncate, yellow, with white mucro, spreading, plane, creased and of heavy substance, overlapping half; the inner segments narrower, rounded at apex, scarcely mucronate; corona 25mm long, funnel-shaped, ribbed, yellow, with orange at base, mouth expanded, lightly frilled and irregularly lobed, with rim flanged and dentate. Very early. Dwarf.
Nomenclatural Standard: colour print supplied by registrant (WSY0126452)

'Deidre Moore' 2 Y-R

(Brian S.Duncan, 2006) Billy Moore, 2014
'Jake' × sdlg 1840 ('Garden News' × 'Patabundy'); sdlg no. 2927
Fl. 104mm wide; perianth segments 39mm long, very broadly ovate, truncate, deep yellow, with pale mucro, spreading, plane or with margins incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt, scarcely mucronate; corona 28mm long, bowl-shaped, smooth, intense orange-red, mouth expanded, lightly frilled and irregularly lobed, with lobes overlapping in places, rim minutely crenate.
Nomenclatural Standard: colour print supplied by registrant (WSY0126256)

'Desmond' 2 Y-R

(P.D.K.Ramsay, 2011) P.D.K.Ramsay, 2015
'Banker' × 'Cameo Fire'; sdlg no. 11:20A
Fl. rounded, 115mm wide; perianth segments 48mm

long, very broadly ovate, blunt, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments shouldered at base; corona 37mm long, cup-shaped, smooth, mouth flared and even, with rim entire. Mid-season

'Doreen Ardagh' 2 Y-Y

(R.A.Scamp, 1990) Fentongollan Farm, 2014
'Strines' × ('Golden Marvel' × 'Straight Flush'); sdlg no. 361
Fl. 85mm wide; perianth segments 38mm long, broadly ovate, blunt, slightly mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, a little inflexed; corona 31mm long, funnel-shaped, ribbed, mouth wavy, with rim flanged and crenate. Sweetly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126346)

'Double Choice' 4 W-Y

(Brian S.Duncan, 2001) F.Charlton, 2015
'Serena Lodge' × 'Gay Kybo'; sdlg no. 2581
Fl. 100mm wide; perianth and other petaloid segments in three or more whorls, white; the two outer whorls very broadly ovate, blunt, scarcely mucronate, plane or with margins a little incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner whorls successively shorter and more strongly inflexed towards centre, concave or folded inwards from midrib; corona segments less than half the length of the petaloid segments, interspersed among them and clustered at centre, wavy, more frilled towards the centre, deep yellow, sometimes with a hint of orange. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126434)

'Dressed for Dinner' 2 Y-YOO

(Mrs Ben M.Robertson) David Burdick, 2015
Parentage unknown
Fl. forming a double triangle, 82mm wide; perianth segments 36mm long, broadly ovate, truncate, light yellow, with slight pale mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 14mm long, bowl-shaped, darker yellow than the perianth segments, with a narrow band of orange at rim, mouth expanded, ribbed and wavy, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126499)

'Eden Park' 2 W-Y

(Mary Lou Gripshover, 1997) Mary Lou Gripshover, 2015
'Casey' × 'Geometrics'; sdlg no. 91-18
Fl. rounded, 79mm wide; perianth segments 32mm long, roundish, very broad, blunt to truncate, slightly mucronate, spreading, plane, with margins a little incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, truncate, scarcely mucronate; corona 16mm long, cup-shaped, angled, broadly

ribbed, mouth straight and wavy, with rim narrowly flanged and minutely crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126470)

'Ednaston' 3 W-YYR

(Clive Postles, 1991) Roger Braithwaite, 2014
Parentage unknown; sdlg no. CPS 1-13-91
Fl. 110mm wide; perianth segments ovate, truncate, mucronate, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona bowl-shaped, broadly ribbed, mouth wavy, with rim minutely crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126340)

'Emma-Jane' 2 W-Y

(Clive Postles, 1991) Roger Braithwaite, 2014
Parentage unknown; sdlg no. CPS 341
Fl. 112mm wide; perianth segments roundish, blunt, mucronate, white, touched yellow at base, spreading, plane or with margins a little incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments a little narrower; corona cylindrical, angled, yellow, mouth slightly expanded, ribbed and a little wavy, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126337)

'Evans Celebration' 2 W-YOO

(D.C.MacArthur, 1995) D.C.MacArthur, 2014
Sdlg (2 W-YWY) × sdlg (3 W-O); sdlg no. ED45195
Fl. 99mm wide, facing upwards; perianth segments 45mm long, ovate, blunt, mucronate, yellowish white 155B, spreading, plane or with margins incurving, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, slightly twisted, scarcely mucronate; corona 23mm long, cup-shaped, ribbed, yellowish orange (24B), with strong orange 25B at rim and brilliant yellow 13C at base, mouth expanded, frilled and lobed, with rim crenate. Sweetly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126367)

'Ever So Sweet' 3 W-WWP

(Clive Postles, 1993) Roger Braithwaite, 2014
Parentage unknown; sdlg no. CPS 351
Fl. 112mm wide; perianth segments roundish, very broad, blunt, scarcely mucronate, spreading, plane or with margins slightly incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate; corona bowl-shaped, mouth wavy and irregularly ribbed. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126338)

'Filby Broad' 4 Y-O

(P.A.Payne, 2004) P.A.Payne, 2015

'Crowndale' × 'Loch Lundie'; sdlg no. 2-1-99

Fl. 97mm wide; perianth and other petaloid segments in three or more whorls, yellow, with slight white mucro; the two outer whorls broadly ovate, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner whorls two-thirds the length of and narrower than the outer whorls, successively more inflexed towards the centre, concave or folded inwards from midrib; corona segments one-third the length of the perianth segments and interspersed among the inner segments, orange, crumpled and wavy. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126495)

'Final Cut' 2 Y-R

(Gordon Coombes, 2010) Gordon Coombes, 2014

'Rheban Red' × 'Omeomy'; sdlg no. G9-10

Fl. forming a double triangle, 95mm wide; perianth segments 39mm long, ovate, blunt, bright yellow, with slight white mucro, spreading, plane, with margins incurving, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base; corona 17mm long, bowl-shaped, neatly ribbed, bright orange-red, mouth expanded and frilled, with rim dentate. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126390)

'Fiona Margaret' 11a Y-O

(D.C.MacArthur, 2007) D.C.MacArthur, 2014

'King Size' × sdlg (2 Y-O); sdlg no. ED1207

Fl. 96mm wide; perianth segments 42mm long, ovate, blunt, light greenish yellow 4B, with slight pale mucro, spreading to a little reflexed, plane, with margins narrowly incurving and with midrib showing, of heavy substance, overlapping half; the inner segments a little narrower, scarcely mucronate, spreading; corona 23mm long, split to more than half its length into six segments, each half the length of and as wide as the perianth segments, bi-lobed, orange (17B), lightly ribbed and frilled. Strongly scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126363)

'Florida Orange' 2 W-O

(John R.Reed) John R.Reed, 2015

'Ivory Orange' × 'Carrot Top'; sdlg no. 98-48-1

Early to mid-season

'Flying Angels' 5 W-W

(Brian S.Duncan, 2006) Brian S.Duncan, 2015

'Silver Crystal' × *N. triandrus* subsp. *triandrus*; sdlg no. 4149

Fls 3 per stem, star-shaped, 98mm wide, facing slightly downwards, pure white; perianth segments 45mm long, ovate, blunt, slightly mucronate, a little

reflexed, plane to a little concave, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, not noticeably mucronate; corona cup-shaped, ribbed, mouth wavy and a little expanded, with rim entire. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126485)

'Fragrant Jewel' 4 W-O

(W.F.Leenen & Sons) W.F.Leenen & Sons, 2014

Parentage unknown

Fl. 100mm wide, facing slightly upwards; perianth and other petaloid segments in three or more whorls, opening light yellow (4D), becoming yellowish white 155D; the outer whorl 40mm long, roundish, truncate, mucronate, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments a little narrower, scarcely mucronate; the inner whorls concave, successively shorter and more strongly inflexed towards the centre; corona segments 30mm long, interspersed among the petaloid segments and clustered at centre, opening vivid yellow 12A, becoming yellow-orange (23A), frilled. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126333)

Fringella Group 6 Y-Y

(Brian S.Duncan, 2009) Brian S.Duncan, 2015

N. asturiensis × *N. cyclamineus*; cross no. 05/49

Fl. star-shaped, 42mm wide, facing downwards, deep golden yellow; perianth segments 17mm long, oblong in outline, blunt at apex, with slight white mucro, spreading to a little reflexed, plane or a little convex, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 17mm long, cylindrical, mouth narrowly ribbed, with rim widely flanged and deeply notched. Very early. Dwarf

A group characterised by the widely flanged and deeply notched rim creating a 'fringed' effect to the corona.
Nomenclatural Standard: colour print supplied by registrant (WSY0126435)

Galantoquilla Group 12 Y-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2015

N. lagoi × *N. assoanus*; cross no. 05/45

Fl. 40(35–45)mm wide, facing downwards, deep golden yellow; perianth segments 17(15–20)mm long, ovate, blunt, prominent pale mucro, with midrib showing, of heavy substance, overlapping at base only; the inner segments a little narrower; corona funnel-shaped, broadly ribbed, mouth expanded, lightly frilled, with rim notched. Dwarf. Very early.

A group characterised by the conspicuous, upright, green spathe which remains green as the flower matures.
Nomenclatural Standard: colour print supplied by registrant (WSY0126442)

'George Street' 2 Y-Y

(Colin Crotty, 2007) Colin Crotty, 2014
'Valley Lode' × 'Impeccable'; sdlg no. 4-07
Fl. 94mm wide, facing slightly upwards; perianth segments 36mm long, ovate, blunt, with a pale mucro, spreading, plane or with margins incurling at apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 30mm long, cylindrical, smooth, mouth straight, ribbed, lobed and a little wavy, with rim crenate. Strongly scented. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126379)

'Gilly Drummond' 1 Y-O

(R.A.Scamp, 1995) R.A.Scamp, 2015
'Hero' × 'Ouma'; sdlg no. 10x91 831A
Fl. 110mm wide; perianth segments 45mm long, broadly ovate, blunt, yellow, with pale mucro, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 46mm long, funnel-shaped, angled, opening yellow, becoming orange, mouth wavy and irregularly lobed, with rim flanged and dentate.
Nomenclatural Standard: colour print supplied by registrant (WSY0126465)

'Glenfinch' 9 W-GYR

(Colin Crotty, 2004) Colin Crotty, 2014
Sdlg 9W-GYR × sdlg 9W-GYR; sdlg no. 41-04
Fl. 73mm wide; perianth segments 30mm long, very broadly ovate, truncate, mucronate, white, reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 3mm long, disc-shaped, ribbed, yellow, with green at base and bright red at rim, mouth expanded and minutely frilled, with rim dentate. Sweetly scented. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126378)

'Glenloch' 9 W-GOO

(M.Hamilton, 2003) Colin Crotty, 2014
Parentage unknown; sdlg no. 54-03
Fl. 68mm wide; perianth segments 28mm long, broadly ovate, truncate, mucronate, pure white, slightly reflexed, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt, scarcely mucronate; corona 3mm long, disc-shaped, ribbed, light orange, darker in tone towards rim and green at base, mouth expanded, ribbed and frilled, with rim crenate. Sweetly scented. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126377)

'Golden Compass' 7 Y-Y

(B.C.Heath) C.G.van den Berg & Zn, 2015
Parentage unknown
Fls 2-3 per stem, forming a double triangle, 60mm wide, facing upwards; perianth segments 28mm long, ovate, blunt, vivid yellow 12A, spreading, concave, with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 19mm long, funnel-shaped, ribbed, orange-yellow (14A), mouth expanded, wavy and lobed, with rim narrowly flanged and entire. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126403)

'Golden Winslow' 6 Y-Y

(Walter J.M.Blom, 2009) Walter J.M.Blom, 2015
'Gipsy Queen' × *N. cyclamineus*; sdlg no. 227-16
Fl. 50mm wide, facing upwards; perianth segments 20mm long, oblong in outline, blunt at apex, brilliant greenish yellow 5A, reflexed, convex, smooth and of heavy substance, overlapping a quarter; corona 25mm long, cylindrical, ribbed, opening brilliant greenish yellow 3A, becoming brilliant greenish yellow 6A, mouth straight and frilled, with rim flanged and dentate. Dwarf. Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126439)

'Green Eyed Lady' 3 W-GWW

(Brent & Becky Heath) Brent and Becky's Bulbs, 2015
'Portrush' × *N. jonquilla*; sdlg no. SA1
Fl. 86mm wide; perianth segments 37mm long, broadly ovate, blunt, mucronate, white (159D), spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 12mm long, cup-shaped, broadly ribbed, white (159B), with green at base, mouth expanded and wavy, with rim dentate and narrowly flanged. Strongly scented. Tall. Mid-season.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126397)

'Greenstart' 1 Y-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2015
N. pseudonarcissus from Auvergne, open pollinated
Fl. star-shaped, 94mm wide, facing slightly downwards; perianth segments 38mm long, lanceolate in outline, acute at apex, limey yellow, with green veining at base, convex and somewhat twisted, with margins wavy, creased, of membranaceous substance, overlapping at base only; the inner segments a little narrower; corona 38mm long, cylindrical, angled, strong lemon yellow, mouth ribbed, frilled, lobed and a little expanded, with rim dentate. Strongly scented. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126486)

'Grouper' 2 Y-O

(Gordon Coombes, 2009) Gordon Coombes, 2014
'Georgie Pie' × 'Gold Imp'; sdlg no. G9-09
Fl. rounded, 60mm wide; perianth segments 29mm long, roundish, very broad, slightly mucronate, yellow, spreading, concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base; corona 22mm long, cup-shaped, angled, light orange, mouth expanded, six-lobed and frilled, with rim dentate. Strongly scented. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126391)

'Growers Pride' 1 Y-Y

(M.C.A.Langeveld & Sons) M.C.A.Langeveld & Sons, 2015
Fl. 58mm wide, facing upwards; perianth segments 25mm long, broadly ovate, rounded to truncate, vivid yellow 9A, spreading, plane, with margins wavy, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 26mm long, funnel-shaped, vivid yellow 12A, mouth expanded, wavy and shallowly lobed, with rim flanged and entire. Sweetly scented. Early.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126440)

'Guava Gold' 11A Y-YPY

(Colin Crotty, 2009) Colin Crotty, 2014
'Peach Glow' × 'Placid Sky'; sdlg no. 28-09
Fl. 92mm wide; perianth segments 30mm long, very broadly ovate in outline, rounded at apex, lemon yellow, with pale mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 28mm long, split to more than half its length into six segments, each closely overlying a perianth segment, as broad and almost as long as the perianth segments, bright pink, with yellow at base and a band of lemon yellow at rim, bi-lobed, with lobes overlapping, wavy and lightly creased. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126376)

'Gylly Glow' 6 Y-O

(R.A.Scamp, 1997) R.A.Scamp, 2015
'Tregarrick' × *N. cyclamineus*; sdlg no. 840
Fl. star-shaped, 75mm wide, facing downwards; perianth segments 35mm long, ovate, blunt, mucronate, yellow, reflexed, plane, with margins incurving, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 34mm long, cylindrical, smooth, orange, darker in tone towards rim, mouth a little expanded, broadly ribbed, wavy and lobed, with rim dentate and narrowly flanged. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126427)
Etymology: Named by the school children of Falmouth as part of the Gyllyngdune Flower Show

'Harangue' 2 W-P

(David Jackson, 1993) Jackson's Daffodils, 2015
Sdlg 129/78 × sdlg 205/87; sdlg no. 30/93
Fl. 105mm wide; perianth segments 44mm long, broadly ovate, blunt, slightly mucronate, greenish white 155A, spreading, plane, with margins incurving towards apex, smooth and of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base; corona 39mm long, orange-pink (29B). Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126476)

'Harpowell' 8 W-Y

(Wilfred Hall, 2006) Wilfred Hall, 2015
'Avalanche' × 'Rondo'; sdlg no. AVX-27
Fls 6-9 per stem, 50mm wide; perianth segments 19mm long, broadly ovate, blunt, prominently mucronate, white, spreading, plane to slightly concave, a little creased and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 7mm long, bowl-shaped, lightly ribbed, orange-yellow (14B), with light greenish yellow (5D) at base and rim, sometimes flushed orange, mouth straight and even, with rim entire. Sweetly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126393)

'Hawk Vale' 2 Y-YOO

(Colin Crotty, 2008) Colin Crotty, 2014
'Valley Glow' × Peter Ramsay sdlg 93-91; sdlg no. 7-08
Fl. 100mm wide, facing slightly upwards; perianth segments 42mm long, very broadly ovate, blunt, mid-yellow, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 18mm long, cup-shaped, light orange, with yellow at base, mouth straight, ribbed and frilled, with rim flanged and dentate. Strongly scented. Mid-season

'Hazel's Beauty' 2 W-P

(Brian S.Duncan) Roger Johnston, 2014
'Chanson' × 'Catalyst'; sdlg no. 3740
Fl. 110mm wide; perianth segments 45mm long, roundish, very broad, truncate, mucronate, white, spreading, plane, a little creased and of heavy substance, overlapping half; the inner segments narrower, ovate, scarcely mucronate; corona 38mm long, funnel-shaped, lightly ribbed, coral pink, mouth flared and frilled, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126348)

'Helicopter' 5 W-W

(Brian S.Duncan, 2007) Brian S.Duncan, 2015
'Silver Crystal' × *N. triandrus* subsp. *triandrus*; sdlg no. 4350
Fl. star-shaped, 102mm wide, facing downwards, pure glistening white; perianth segments 42mm long, ovate, blunt, slightly mucronate, a little reflexed,

convex or a little twisted, smooth and of heavy substance, separate; the inner segments narrower, scarcely mucronate; corona 13mm long, cup-shaped, ribbed, mouth broadly ribbed, a little expanded and wavy, with rim minutely crenate. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126487)

'Huh' 4 W-O

(David Jackson, 1999) Jackson's Daffodils, 2015
Parentage unknown; sdlg no. 9/99?
Fl. rounded, 92mm wide; perianth and other petaloid segments in several whorls, yellowish white 158A; the outer whorl 35mm long, broadly ovate, blunt, slightly mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; the inner whorls scarcely mucronate, narrower, with margins incurved or folded inwards from midrib, successively shorter and more strongly inflexed towards the centre; corona segments 25mm long, interspersed among the inner perianth whorls, yellowish orange (16A), lightly frilled. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126483)

'Ice Angel' 2 W-W

(Gordon Coombes, 2011) Gordon Coombes, 2014
'Ashmore' × 'Best Yet'; sdlg no. G27-11
Fl. rounded, 70mm wide; perianth segments 27mm long, roundish, very broad, mucronate, spreading, plane or with margins incurved, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona 20mm long, cylindrical, smooth, mouth wavy, a little expanded and lightly ribbed, with rim dentate. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126392)

'Inchgower' 9 W-GYO

(M.Hamilton, 2002) Colin Crotty, 2014
Parentage unknown; sdlg no. 43-02
Fl. 65mm wide; perianth segments 27mm long, roundish, very broad, blunt, prominently mucronate, a little reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 3mm long, disc-shaped, mouth expanded and minutely frilled, with rim crenate. Sweetly scented. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126375)

'Ivanbrook' 3 W-O

(Clive Postles) Roger Braithwaite, 2015
Parentage unknown; sdlg no. 420
Fl. 115mm wide; perianth segments broadly ovate, blunt, prominently mucronate, white, spreading, plane, with margins incurving, smooth and of heavy

substance, overlapping half; the inner segments narrower; corona bowl-shaped, smooth, orange, paler towards base, mouth deeply lobed, with lobes overlapping, lightly frilled, with rim minutely crenate. Mid-season. Tall.
Nomenclatural Standard: colour print supplied by registrant (WSY0126461)

'Iwona' 6 WWP-P

(J.de Winter) M.H.van der Zon & Sons, 2015
Parentage unknown
Fl. 88mm wide; perianth segments 33mm long, very broad, blunt, mucronate, white 155C, with orange-pink (25D) at base, reflexed, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 23mm long, funnel-shaped, angled, orange-pink (25D), deeper in tone at rim, mouth expanded, wavy, lobed and broadly ribbed, with rim flanged and crenate. Sweetly scented. Mid-season.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126432)

'Kauana' 9 W-GRR

(Lennox W.J.Cowie, 2012) Lennox W.J.Cowie, 2015
'Tino Pai' × 'Waihora'; sdlg no. LWJC 12-1
Fl. rounded, 60mm wide; perianth segments 20mm long, roundish, very broad, white, plane, smooth and of heavy substance, overlapping half or more; corona 3mm long, disc-shaped, smooth, yellowish red, with green at base, mouth expanded, with rim dentate. Dwarf. Late

'Kenwell Centennial' 2 Y-Y

(Brian S.Duncan) Dave Hardy, 2015
'Crevenagh' × 'Impeccable'; sdlg no. 3140
Fl. 93mm wide; perianth segments 40mm long, broadly ovate, blunt, yellow, with slight pale macro, spreading, plane or with margins a little incurved, creased and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 38mm long, funnel-shaped, smooth, yellow, deeper in tone than perianth segments, mouth a little wavy, with rim notched and broadly flanged. Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126537)

'Kiap' 2 W-YYO

(David Jackson, 2002) Jackson's Daffodils, 2015
Parentage unknown; sdlg no. 25/02
Fl. rounded, 103mm wide; perianth segments 40mm long, roundish, very broad, truncate, slightly mucronate, white, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, not noticeably mucronate; corona 15mm long, disc-shaped, ribbed, yellow, with a broad band of orange at rim, mouth expanded, ribbed, frilled and irregularly lobed, with rim dentate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126477)

'Kōura' 2 Y-Y

(Graeme & Faith Miller, 2005) Graeme & Faith Miller, 2015

Sdlg GM95-31 × 'Impeccable'; sdlg no. 05-65
Fl. rounded, 106mm wide, brilliant greenish yellow 4A; perianth segments 44mm long, ovate, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 37mm long, funnel-shaped, mouth ribbed and frilled, with rim flanged and dentate. Mid-season.
Etymology: Māori word for 'gold'

'Lee Martin' 10 Y-Y

(Lee & Julie Martin) Lee & Julie Martin, 2014
Selection from *N. bulbocodium* subsp. *obesus*

Fl. star-shaped, 35mm wide, facing slightly upwards, vivid yellow 13A; perianth segments 15mm long, lanceolate in outline, acute at apex, spreading to a little inflexed, plane, smooth and of heavy substance, separated; corona 25mm long, cup-shaped, smooth, mouth straight, lightly ribbed and a little wavy, with rim entire. Dwarf. Sweetly scented. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126355)

'Lemon Creek' 3 Y-GGY

(John R.Reed) John R.Reed, 2015
'Irish Mint' × sdlg 85-26-1 ('Angel' × 'Misty Glen');
sdlg no. 98-125-2013

'Lemon Fizz' 2 Y-Y

(Graeme & Faith Miller, 2007) Graeme & Faith Miller, 2015
'Tauhoa' × 'Impeccable'; sdlg no. 07-067
Fl. rounded, 107mm wide, light greenish yellow 8C; perianth segments 45mm long, ovate, blunt, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 40mm long, funnel-shaped, angled, mouth expanded and frilled, with rim rolled and dentate. Mid-season

'Lemon Lime and Bitters' 2 Y-P

(Graeme & Faith Miller, 2009) Graeme & Faith Miller, 2015
'Tearaway' × 'American Dream'; sdlg no. 09-46
Fl. forming a double triangle, 109mm wide; perianth segments 47mm long, ovate, blunt, light greenish yellow 7D, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 43mm long, funnel-shaped, light pink (56C), mouth ribbed and frilled, with rim flanged and dentate. Mid-season

'Lilipink' 11A Y-PPP

(Colin Crotty, 2009) Colin Crotty, 2014
'Peach Glow' × 'Placid Sky'; sdlg no. 27-09
Fl. 95mm wide; perianth segments 34mm wide, very broadly ovate in outline, rounded at apex, mucronate, light yellow, paling towards apex, spreading, plane or

with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 28mm long, split to base, forming an outer whorl of three spreading segments and an inner whorl of three inflexed segments, each overlying a perianth segment, pink, with yellowish overtones, darker in tone towards rim, yellow at base, the inner whorl a little darker in tone, lobed and heavily frilled. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126374)

'Little Charmer' 5 Y-Y

(Brian S.Duncan, 2006) Brian S.Duncan, 2015
'Hillstar' × *N. triandrus* subsp. *triandrus*; sdlg no. 3212
Fls 3 per stem, star-shaped, 65mm wide, facing downwards, luminous yellow; perianth segments ovate, blunt, pale mucro, a little reflexed, concave, smooth and of heavy substance, overlapping at base only; the inner segments narrower, not noticeably mucronate; corona cup-shaped, angled, mouth ribbed, wavy and a little expanded, with rim irregularly lobed and minutely crenate. Dwarf. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126488)

'Little Spell' 1 Y-Y

Previously listed as unregistered
(C.A.van der Wereld, pre-1990) C.P.J.Breed, 2015
Parentage unknown
Fl. star-shaped, 65mm wide; perianth segments 25mm long, oblong in outline, blunt at apex, brilliant greenish yellow 4A, paler (4D) at base, with white mucro, inflexed, plane to a little twisted, with margins slightly incurved, creased and of heavy substance, overlapping one-third; the inner segments a little narrower, more strongly inflexed; corona 30mm long, narrowly funnel-shaped, smooth, pale greenish yellow 4D, mouth wavy, a little flared and deeply lobed, with rim crenate. Dwarf. Early.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126399)

'Little Surprise' 6 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2015
N. cyclamineus × *N. poeticus*; sdlg no. 3831
Fl. star-shaped, 75mm wide; perianth segments 21mm long, ovate, truncate, light greenish yellow (4A/B), with prominent pale mucro, reflexed, concave, with midrib showing, of heavy substance; the inner segments narrower, not noticeably mucronate; corona 15mm long, cup-shaped, ribbed, vivid yellow 12A, mouth very slightly constricted, wavy, with rim notched. Dwarf. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126489)
PC 2015

'Longmorn' 9 W-GYR

(M.Hamilton, 2002) Colin Crotty, 2014

Parentage unknown; sdlg no. 33-02

Fl. rounded, 65mm wide; perianth segments 27mm long, roundish, very broad, blunt, prominently mucronate, pure white, a little reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 3mm long, disc-shaped, yellow, with green at base and a band of red at rim, mouth expanded, ribbed and minutely frilled, with rim dentate. Sweetly scented. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126373)

'Look Sharp' 1 Y-Y

(Brian S.Duncan, 2005) Brian S.Duncan, 2015

N. asturiensis open pollinated; sdlg no. 3374

Fl. star-shaped, 41mm wide, deep yellow; perianth segments 16mm long, ovate, blunt, with pale mucro, slightly inflexed, creased and of heavy substance, overlapping a quarter; the inner segments narrower, scarcely mucronate; corona 17mm long, cylindrical, smooth, mouth a little constricted, with rim broadly flanged and deeply notched. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126490)

'Love in the Mist' 8 W-GYW

(Wilfred Hall) Wilfred Hall, 2015

'Grand Monarque' × *N. poeticus*?; sdlg no. GMX-88

Fls 4–7 per stem, 40mm wide; perianth segments 15mm long, ovate, blunt, mucronate, white, spreading, concave, with margins incurving, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate, shouldered at base; corona 5mm long, cup-shaped, smooth, light greenish yellow 4B, white at rim and brilliant yellow-green 150C at base, mouth straight and even, with rim entire. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126395)

'Lumen Lemon' 3 Y-Y

(Brian S.Duncan, 2008) Brian S.Duncan, 2015

'Moon Shadow' × 'Lemma'; sdlg no. 3352

Fl. forming a double triangle, 102mm wide, lemon yellow; perianth segments 42mm long, broadly ovate, blunt, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower; corona 14mm long, shallow bowl-shaped, smooth, mouth lobed and wavy, with rim entire. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126491)

'Mallind' 6 Y-Y

(David Adams, 2013) David Adams, 2014

'Snipe' × *N. cyclamineus*; sdlg no. 07/06D

Fl. star-shaped, 48mm wide, facing downwards, creamy yellow; perianth segments 19mm long, lanceolate in outline, acute at apex, reflexed, plane, smooth and of heavy substance, separated; corona 23mm long, cylindrical, smooth, mouth expanded and frilled, with rim flanged and dentate. Early

'Martha Purdue' 2 W-YPP

(D.C.MacArthur, 2003) D.C.MacArthur, 2014

'Dailmanach' open pollinated; sdlg no. ED61103

Fl. 97mm wide; perianth segments 41mm long, very broadly ovate, truncate, slightly mucronate, greenish white 155C, spreading to a little reflexed, plane to a little twisted, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; corona 25mm long, cylindrical, ribbed, light yellowish pink 27A, with pink (29B) at rim and pale yellow (20C) at base, mouth flared, lightly frilled and irregularly lobed, with rim crenate. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126361)

'Meluka' 3 W-O

(David Jackson, 1989) Jackson's Daffodils, 2015

Parentage unknown; sdlg no. 288/89

Fl. rounded, 108mm wide; perianth segments 48mm long, broadly ovate, blunt, yellowish white 155B, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, truncate; corona 13mm long, disc-shaped, strong orange 25A, mouth expanded, ribbed and frilled, with rim dentate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126475)

Memorina Group 2 WWY-YYO

(Brian S.Duncan, 2009) Brian S.Duncan, 2015

Andersen selection from *N. primigenius* × *N. poeticus*; cross no. 05/50

Fl. star-shaped, 50–75mm wide; perianth segments 17–22mm long, lanceolate in outline, acute at apex, mucronate, whitish, with yellow at base, a little inflexed, plane or with margins incurved, with midrib showing, of heavy substance, overlapping at base only; the inner segments a little narrower; corona 14–17mm long, cup-shaped, yellow, with orange at rim or sometimes entirely yellow, mouth a little expanded, ribbed and wavy, with rim notched. Dwarf. Early

A group characterised by the yellow 'halo' effect at the base of the perianth segments which extends a quarter to half their length.

Nomenclatural Standard: colour print supplied by registrant (WSY0126553)

'Meribel' 4 Y-Y

H.W.van Saase & Son, 2015

Parentage unknown

Fl. 102mm wide, facing upwards; perianth and other petaloid segments in three or more whorls, light greenish yellow 5C, with slight white mucro; the outer whorl 45mm long, very broad, blunt, spreading, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, a little inflexed; the inner whorls successively shorter and more strongly inflexed towards the centre, concave or folded deeply inwards from midrib; corona segments 20mm long, interspersed among the inner perianth segments, orange-yellow (14A), folded and frilled. Strongly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126473)

'Milena' 4 YYW-YYY

(J.Th de Winter) M.H.van der Zon & Zn, 2015

Parentage unknown

Fl. 85mm wide, facing upwards; perianth and other petaloid segments in two whorls, brilliant greenish yellow 4A, with pale greenish yellow (4D) at base becoming white; the outer whorl 40mm long, roundish, very broad, with slight white mucro, a little reflexed, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower; the inner whorl contained within the corona, and interspersed among the corona segments, strongly inflexed, folded or crumpled; the corona in two or more whorls, vivid yellow 9A; the outer whorl 40mm long, cup-shaped and completely enclosing the inner whorls of petaloid and corona segments, mouth expanded, lightly ribbed, irregularly and deeply lobed, with lobes overlapping in places, with rim broadly flanged and notched; the inner corona segments tightly clustered, frilled and crenate. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126404)

'Monsal' 1 Y-Y

(Clive Postles, 1999) Roger Braithwaite, 2014

Parentage unknown; sdlg no. CPS 1-8-99

Fl. 110mm wide; perianth segments roundish, truncate, yellow, with slight white mucro, spreading, plane or with margins a little incurling, with midrib showing, of heavy substance, overlapping half; the inner segments a little narrower; corona cylindrical, smooth, yellow, mouth wavy and a little expanded, with rim flanged and minutely crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126336)

'Mr Wizard' 2 Y-O

(P.D.K.Ramsay, 2011) P.D.K.Ramsay, 2015

'Banker' × 'Cameo Fire'; sdlg no. 11:18

Fl. rounded, 115mm wide; perianth segments 48mm long, very broadly ovate, blunt, spreading, plane or

with margins incurling, smooth and of heavy substance, overlapping half; the inner segments shouldered at base; corona 38mm long, cup-shaped, smooth, mouth flared and even, with rim entire. Mid-season

'Mulben' 2 Y-O

(D.C.MacArthur, 2002) D.C.MacArthur, 2014

Sdlg ED16988 (2Y-O) open pollinated;

sdlg no. ED21402

Fl. forming a double triangle, 93mm wide, facing upwards; perianth segments 41mm long, ovate, blunt, vivid yellow 9B, with pale mucro, spreading, plane to slightly concave, with margins a little incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 20mm long, cup-shaped, ribbed, orange (30C), mouth straight, lightly frilled and deeply lobed, with rim crenate. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126359)

'Nanny Anne' 2 Y-Y

(Brian S.Duncan, 2003) Luke & Ben Johnston, 2014

'Tyrone Gold' × 'Impeccable'; sdlg no. 2707

Fl. 118mm wide, facing slightly upwards, deep golden yellow; perianth segments 48mm long, broadly ovate, blunt, with slight white mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, a little inflexed, shouldered at base; corona 47mm long, cylindrical, smooth, mouth flared and lightly frilled, with rim minutely crenate. Early to mid-season.

Nomenclatural Standard: colour print supplied by hybridizer (WSY0126347)

'Nantucket Red' 3 O-R

(Nial Watson, 2006) Nial Watson, 2015

'Hero' × 'Sabine Hay'; sdlg no. 166

Fl. rounded, 108mm wide; perianth segments 47mm long, very broadly ovate, truncate, strong orange 24A, with slight white mucro, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments a little narrower; corona 13mm long, disc-shaped, orange-red (31A), mouth ribbed and frilled. Mid-season to late

'Narelle' 2 Y-P

(M.E.Brogden, 2005) Brogden Bulbs, 2015

Sdlg ('Easter Dawn' × 'Dailmanach') × 'Capree

Elizabeth'; sdlg no. BB01-23-1

Fl. forming a double triangle; perianth segments very broadly ovate, blunt, spreading, plane, with margins incurling towards apex, smooth and of heavy substance, overlapping half; the inner segments slightly narrower; corona cup-shaped, smooth, mouth wavy and a little flared, with rim crenate. Late

'Nice One' 5 Y-Y

(Brian S.Duncan, 2006) Brian S.Duncan, 2015
'Hillstar' × *N. triandrus* subsp. *triandrus*; sdlg no. 3213
Fls 3–4 per stem, star-shaped, 73mm wide, facing downwards, luminous lemon yellow; perianth segments 31mm long, ovate, blunt, with pale mucro, a little reflexed, plane or with margins incurling, with midrib showing, of heavy substance, overlapping a quarter; the inner segments narrower, scarcely mucronate; corona 17mm long, cup-shaped, smooth, mouth wavy and a little expanded, with rim entire. Scented. Dwarf.
Nomenclatural Standard: colour print supplied by registrant (WSY0126492)

'Nicholas Veitch' 2 Y-O

(D.C.MacArthur, 2003) D.C.MacArthur, 2014
Parentage unknown; sdlg no. ED16903
Fl. forming a double triangle, 91mm wide, facing upwards; perianth segments 40mm long, ovate, blunt, brilliant yellow 13B, with slight pale mucro, spreading, plane to a little concave, with margins incurling, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower; corona 20mm long, cup-shaped, angled, strong orange 25B, with brilliant orange 25C at base and vivid reddish orange 30B at rim, mouth straight, lobed and lightly frilled, with rim crenate. Sweetly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126358)

'Norwich Nipper' 2 Y-O

(P.A.Payne, 2010) P.A.Payne, 2015
'Online' × 'Cutting Edge'; sdlg no. 12-1-04
Fl. 66mm wide; perianth segments 24mm long, very broadly ovate, truncate, lemon yellow, with slight white mucro, spreading, plane, with margins narrowly incurved at apex, with midrib showing, creased and of heavy substance, overlapping half or more; the inner segments a little narrower, shouldered at base; corona 23mm long, funnel-shaped, angled, strong orange, deeper in tone at rim, mouth expanded, wavy to lightly frilled, with rim entire. Dwarf. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126496)

'Nudger' 6 Y-Y

(Brian S.Duncan, 2005) Brian S.Duncan, 2015
N. cyclamineus × 'Camborne'; sdlg no. 3540
Fl. 50mm wide, facing downwards; perianth segments 19mm long, oblong in outline, rounded at apex, with slight white mucro, strongly reflexed, convex to a little twisted, smooth and of heavy substance, overlapping a quarter; corona 20mm long, cylindrical, broadly ribbed, mouth wavy, lobed and a little expanded, with rim notched. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126418)

'Oakwood Glen' 2 O-O

(John R.Reed) John R.Reed, 2015
'Rory's Glen' × 'Quantum Leap'; sdlg no. 2002-86-1
Mid-season.

Old World Group 2

(Brian S.Duncan, 2010) Brian S.Duncan, 2015
'Little Beauty' × *N. poeticus*; cross no. 05-4
Fl. 63–82mm wide; perianth segments 22–28mm long, ovate, blunt, white, sometimes with a band of lemon yellow at base, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping one-third; corona 14–22mm long, cup-shaped, yellow, sometimes with a band of orange at rim, mouth ribbed, wavy and a little expanded. Dwarf to standard.

Mid-season to late.

Similar in flower form and height but variable flower colour from W-Y, WWY-Y to Y-Y/O, taller and later flowering than Asturiet Group.

Nomenclatural Standard: colour print supplied by registrant (WSY0126549)

'Olentangy' 3 W-GYY

(Mary Lou Gripshover, 1980) Mary Lou Gripshover, 2015
'Grace Note' open pollinated; sdlg no. 73-36-3
Fl. rounded; perianth segments roundish, broad, truncate, mucronate, a little reflexed, plane to slightly concave, with margins incurved, creased and of heavy substance, overlapping half or more; the inner segments narrower, more nearly spreading, scarcely mucronate; corona disc-shaped, ribbed, mouth expanded and frilled, with rim crenate. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126469)

Eymology: Named for a river in central Ohio

'Otapiri' 2 Y-P

(Lennox W.J.Cowie, 2006) Lennox W.J.Cowie, 2015
'Filoli' × 'Capree Elizabeth'; sdlg no. LWJC 10-6
Fl. 100mm wide; perianth segments 40mm wide, broadly ovate in outline, rounded at apex, mucronate, pale yellow, spreading, plane or with margins slightly incurved, smooth, overlapping half or more; corona 38mm wide, funnel-shaped, smooth, pale pink, mouth flared and frilled, with rim dentate. Mid-season

Panna Cotta Group 2 Y-Y

(Mrs Anne Wright, 2012) Mrs Anne Wright, 2015
'Spring Charm' × *N. rupicola* subsp. *watieri*; cross no. 3172
Fl. 28mm wide, light greenish yellow 5D; perianth segments 10mm long, ovate, blunt, with pale mucro, spreading, plane, with margins slightly incurved, smooth and of heavy substance, overlapping one-third; the inner segments a little narrower, less prominently mucronate, truncate; corona 4mm long, bowl-shaped, smooth, mouth flared, six-lobed, with rim minutely crenate. Dwarf. Early.

Neatly lobed corona; similar to Crème Fraîche Group but generally stem 30mm shorter.

Nomenclatural Standard: colour print supplied by registrant (WSY0126447)

'Peggy Irene' 3 Y-YYO

(R.A.Scamp, 1996) R.A.Scamp, 2015

'Ferndown' × 'Badbury Rings'; sdlg no. 60x91 683

Fl. rounded, 98mm wide; perianth segments 41mm long, roundish, very broad, truncate, soft yellow, with slight white mucro, spreading, plane or a little concave, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments scarcely mucronate, shouldered at base; corona 13mm long, bowl-shaped, ribbed, soft yellow, with a narrow band of orange at rim, mouth expanded, six-lobed, with lobes overlapping in places, lightly frilled, with rim notched. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126466)

'Pirongia Gem' 7 Y-O

(Graeme & Faith Miller, 2013) Graeme & Faith Miller, 2015

N. jonquilla × sdlg 03T6 Hall; sdlg no. 13-01

Fls 3–8 per stem, forming a double triangle, 31mm wide; perianth segments 13mm long, ovate, blunt, vivid yellow 12A, spreading, concave, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 5mm long, bowl-shaped, smooth, yellow-orange (23A), mouth straight and even, with rim entire. Sweetly scented. Very early

'Pirongia Ice' 2 W-W

(Graeme & Faith Miller, 2011) Graeme & Faith Miller, 2015

'First Frontier' × 'Lady Diana'; sdlg no. 11-049

Fl. forming a double triangle, 128mm wide, white (157B); perianth segments 56mm long, ovate, acute, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 41mm long, funnel-shaped, mouth flared, ribbed and frilled, with rim dentate. Mid-season

'Pirongia Jewel' 7 Y-O

(Graeme & Faith Miller, 2014) Graeme & Faith Miller, 2015

N. jonquilla × sdlg 03T6 Hall; sdlg no. 14-11

Fls 3–8 per stem, 32mm wide; perianth segments 13mm long, ovate, blunt, vivid yellow 12A, spreading, concave, smooth and of heavy substance, overlapping half; corona 3mm long, bowl-shaped, smooth, yellow-orange (23A), mouth straight and even, with rim entire. Sweetly scented. Early

'Pirongia Snow' 2 W-W

(Graeme & Faith Miller, 2007) Graeme & Faith Miller, 2015

'Frontier Snow' × 'Lady Diana'; sdlg no. 07-020

Fl. 102mm wide, white (157B); perianth segments 42mm long, ovate, blunt, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 31mm long, funnel-shaped, mouth ribbed and frilled, with rim flanged. Early

'Punk' 1 Y-Y

(Brian S.Duncan, 2006) Brian S.Duncan, 2015

'Wee Bee' × 'Candlepower'; sdlg no. 3536

Fl. forming a double triangle, 33mm wide, deep golden yellow; perianth segments 12mm long, ovate, blunt, with white mucro, spreading, plane or with margins a little incurved, creased and of heavy substance, overlapping a quarter; the inner segments narrower; corona 15mm long, cylindrical, smooth, mouth ribbed, slightly expanded and lightly frilled, with rim broadly flanged and minutely crenate. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126419)

'Ransack' 1 Y-Y

(David Jackson, 2003) Jackson's Daffodils, 2015

Parentage unknown; sdlg no. 12/03

Fl. 112mm wide; perianth segments 46mm long, broadly ovate, blunt, brilliant greenish yellow 6A, with slight pale mucro, spreading, plane or with margins incurved towards apex, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona 49mm long, funnel-shaped, smooth, vivid yellow 12A, mouth expanded, irregularly ribbed and lightly frilled, with rim dentate and narrowly flanged. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126479)

'Red Wine' 3 W-R

(John R.Reed) John R.Reed, 2015

'Innergrow' × 'Harold's Cross'; sdlg no. 2002-143-1

Mid-season to late

'Rhodos' 4 W-Y

H.W.van Saase & Son, 2015

Parentage unknown; sdlg no.

Fl. 85mm wide, facing upwards; perianth and other petaloid segments in three whorls; the outer whorl 35mm long, very broadly ovate, blunt, mucronate, greenish white 155C, spreading, slightly concave or with margins incurving, with midrib showing, creased and of heavy substance, overlapping half or more; the inner whorls narrower, successively shorter and more strongly inflexed towards centre, concave or folded; corona segments 20mm long, interspersed among the petaloid segments and clustered at centre, orange-yellow (14B), ribbed and heavily frilled, with rim crenate. Strongly and sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126538)

'Ringtone' 3 Y-YYO

(K.van der Veek) Zijper Nursery, 2015

Parentage unknown; sdlg no.

Fl. 97mm wide; perianth segments 42mm long, roundish, very broad, truncate, pale yellow (5D) deepening to pale yellow (5C) at margins, with white mucro, spreading, concave, with margins incurving,

creased and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 14mm long, bowl-shaped, smooth, vivid yellow 12A, with a broad band of strong orange N25C at rim, mouth expanded, broadly ribbed, wavy and six-lobed, with lobes overlapping in places. Sweetly scented. Early. Nomenclatural Standard: colour print supplied by KAVB (WSY0126433)

'Roly' 10 Y-Y

(Brian S.Duncan, 2003) Brian S.Duncan, 2015
N. bulbocodium from Morocco × *N. bulbocodium?*;
sdlg no. 3021
Fl. star-shaped, 50mm wide, limey yellow; perianth segments 17mm long, lanceolate in outline, acute at apex, spreading, plane or a little twisted, smooth, separated; corona 20mm long, bowl-shaped, ribbed, mouth widely expanded and wavy, with rim minutely crenate. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126423)

'Roseisle' 9 W-GYR

(Colin Crotty, 2005) Colin Crotty, 2014
Sdlg (9 W-GYR) × sdlg (9 W-GYR); sdlg no. CC32-05
Fl. rounded, 61mm wide; perianth segments 26mm long, roundish, very broad, truncate, mucronate, pure white, a little reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona 3mm long, disc-shaped, yellow, with a band of red at rim and green at base, mouth expanded, broadly ribbed and minutely frilled, with rim dentate. Sweetly scented. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126380)

'Ruby's Moonlight' 1 W-Y

Matt Bishop, 2015
R. Baker selection from *N. pseudonarcissus*
Fl. star-shaped, facing upwards; perianth segments 65mm long, oblong to ovate in outline, blunt at apex, mucronate, opening pale yellow, becoming whitish, spreading to slightly inflexed, twisted, smooth and of membranaceous substance, overlapping at base only; corona 70mm long, funnel-shaped, smooth, pale yellow, mouth flared and ribbed, with rim crenate and irregularly notched. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126539)

'Rural Cottage' 1 Y-Y

(Alistair Davey, 2007) Alistair Davey, 2015
'Akala' × 'Corbiere'; sdlg no. AD101-07
Fl. 100mm wide; perianth segments 40mm long, very broadly ovate, blunt, mucronate, bright yellow, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments shouldered at base; corona 42mm long, cylindrical, smooth, yellow, slightly

deeper in tone than the perianth segments, mouth flared and frilled, with rim dentate. Strongly scented. Mid-season

'Rural Dolly' 2 Y-Y

(Alistair Davey, 2009) Alistair Davey, 2015
'Otaihape' open pollinated; sdlg no. AD151-09
Fl. 76mm wide; perianth segments 32mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 31mm long, cylindrical, smooth, mouth straight and wavy, with rim crenate. Strongly scented. Mid-season

'Rural Imp' 2 Y-Y

(Alistair Davey, 2004) Alistair Davey, 2015
'Rural Bingo' × 'Gold Imp'; sdlg no. AD108-04
Fl. 70mm wide; perianth segments 27mm long, very broadly ovate in outline, rounded at apex, mucronate, yellow, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 20mm long, cup-shaped, angled, yellow, slightly deeper in tone than the perianth segments, mouth flared, ribbed and frilled, with rim dentate. Strongly scented. Mid-season

'Rural King' 1 Y-P

(John R.Reed) John R.Reed, 2015
Sdlg 84-126-1 ('Lorikeet' × 'Memento') × sdlg 87-84-1 ('Nanushca' × 'Lorikeet'); sdlg no. 98-74-2
Etymology: Named for the registrant's local farm supply store

'Rural Penny' 2 Y-Y

(Alistair Davey, 2004) Alistair Davey, 2015
'New Penny' × 'Trumpet Warrior'; sdlg no. AD220-04
Fl. 75mm wide; perianth segments 30mm long, roundish, very broad, mucronate, yellow, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 25mm long, cylindrical, smooth, yellow, slightly deeper in tone than perianth segments, mouth flared and wavy, with rim crenate. Strongly scented. Mid-season

'Ryland' 2 Y-P

(Clive Postles, 1999) Roger Braithwaite, 2014
Parentage unknown; sdlg no. CPS 1-8-99
Fl. 110mm wide; perianth segments broadly ovate, blunt, pale yellow, with slight white mucro, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona funnel-shaped, smooth, orange-pink, mouth lightly frilled and irregularly lobed, with rim narrowly flanged and minutely crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126335)

'Sancreed' 11A W-Y

(R.A.Scamp, 1996) R.A.Scamp, 2015
'Silver Shell' × 'Pink Silk'; sdlg no. 775
Fl. 110mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, white, spreading, plane, with margins incurling, smooth and of heavy substance, overlapping half; the inner segments narrower, a little inflexed; corona 25mm long, split to base, forming an outer and an inner whorl of three, two-thirds the length of and the same width as the perianth segments and closely overlying them, smooth, bright yellow, lobed, with lobes overlapping, frilled. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126428)

'Shilo Jane' 2 W-W

(P.D.K.Ramsay, 2010) P.D.K.Ramsay, 2015
'Cameo Frost' × 'Cameo Lady'; sdlg no. 10:1
Fl. rounded, 115mm wide; perianth segments 43mm long, very broadly ovate, blunt, mucronate, spreading, plane or with margins incurling, smooth and of heavy substance; corona 37mm long, cylindrical, smooth, mouth flared and frilled, with rim rolled and dentate. Early

'Sibun' 3 Y-W

(A.J.R.Pearson, 1997) A.J.R.Pearson, 2015
'Irish Coffee' × 'Coldbrook'; sdlg no. 00-111-T33
Fl. forming a double triangle, 95mm wide; perianth segments 37mm wide, ovate, blunt, pale lemon yellow (4B), spreading, plane or with margins incurling, smooth and of heavy substance; the inner segments narrower; corona 10mm wide, cup-shaped, ribbed, white (157B), mouth straight and wavy, with rim crenate. Late.
Etymology: Named for a river in Belize

'Siegfried Bauer' 1 W-W

(M.E.Brogden, 2003) Brogden Bulbs, 2015
'Neahkahnie' × sdlg ('Jet Trail' × sdlg); sdlg no. BB9-09-A1
Fl. forming a double triangle; perianth segments broadly ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona cylindrical, smooth, mouth even, with rim flanged and crenate. Early

'Sittingbourne Sunshine' 7 Y-Y

(June Pesterfield) R.A.Scamp, 2015
'Parcpat' hybrid
Fl. forming a double triangle, 90mm wide, dark golden yellow; perianth segments 39mm long, ovate, blunt, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower; corona 24mm long, funnel-shaped, angled, mouth wavy, a little expanded and broadly ribbed, with rim crenate. Sweetly scented. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126467)

'Sleek' 6 W-Y

(Brian S.Duncan, 2008) Brian S.Duncan, 2015
N. cyclamineus × sdlg 2844 (*N. cyclamineus* open pollinated); sdlg no. 3148
Fl. star-shaped, 53mm wide; perianth segments 24mm long, narrowly ovate, acute, white, reflexed, plane or a little convex, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona cylindrical, smooth, lemon yellow, mouth flared, wavy and lobed, with rim notched. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126493)

'Solar Sun' 11A W-Y

(Gordon Coombes, 2008) Gordon Coombes, 2014
'Solar Disc' × 'Valley Sun'; sdlg no. G17-08
Fl. 95mm wide; perianth segments 35mm long, very broadly ovate, blunt, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 28mm long, split to more than half its length, forming an outer and a slightly inflexed inner whorl of three, three-quarters the length of and as wide as the perianth segments and closely overlying them, bi-lobed, with lobes overlapping, lightly frilled. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126387)

'Speedie' 6 W-Y

(Brian S.Duncan, 2005) Brian S.Duncan, 2015
N. cyclamineus selection × 'Gipsy Queen'; sdlg no. 3531
Fl. star-shaped, 50mm wide, facing slightly downwards; perianth segments 24mm long, lanceolate in outline, acute at apex, slightly mucronate, strongly reflexed, plane or with margins incurved, smooth and of heavy substance, separated; the inner segments narrower; corona 25mm long, cylindrical, broadly ribbed, mouth frilled and a little expanded, with rim notched. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126535)

'Split Enz' 11A Y-Y

(Gordon Coombes, 2010) Gordon Coombes, 2014
'Solar Disc' × 'Corbiere'; sdlg no. G10-10
Fl. 95mm wide; perianth segments 34mm long, very broadly ovate, blunt, mid-yellow, with pale mucro, a little reflexed, plane or with margins incurved, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 24mm long, split to more than half its length, forming an outer and an inner whorl of three segments, three-quarters the length of and as wide as the perianth segments and closely overlying them, golden yellow, bi-lobed, frilled. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126388)

Spring Back Group 6 WWY-YYO

(Brian S.Duncan, 2010) Brian S.Duncan, 2015
N. cyclamineus × *N. poeticus* W.30; Cross no. 05/34-43
Fl. 48–74mm wide; perianth segments 17–21mm long, ovate, blunt, opening yellow, becoming white, touched yellow at base, reflexed, plane, with midrib showing, of heavy substance, overlapping a quarter; corona 12–18mm long, cup-shaped, yellow, flushed orange at rim, mouth ribbed, wavy and a little expanded, with rim notched. Dwarf. Very early.
A group characterised by yellow 'halo' effect on the reflexed perianth segments extending a quarter to half their length.

Nomenclatural Standard: colour print supplied by registrant (WSY0126561)

'Squinney' 12 Y-Y

(Brian S.Duncan, 2010) Brian S. Duncan, 2015
N. cyclamineus × *N. assoanus*; sdlg no. 3529
Fl. star-shaped, 35mm wide, facing downwards; perianth segments 17mm long, oblong in outline, blunt at apex, prominent pale mucro, reflexed, plane to a little convex, with midrib showing, of heavy substance, overlapping at base only; corona 12mm long, cylindrical, broadly ribbed, mouth a little expanded, wavy and shallowly lobed, with rim notched. Dwarf. Very early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126431)

'Standout' 3 W-YYR

(M.E.Brogden, 1998) Brogden Bulbs, 2015
Sdlg ('Centrefold' × 'Refresh') × 'Lighthouse'; sdlg no. BB3-15-2
Fl. rounded; perianth segments roundish, truncate, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; inner segments narrower; corona shallow bowl-shaped, ribbed, mouth straight and wavy, with rim crenate. Late

'Stanley's Goal' 3 W-W

(Clive Postles) Roger Braithwaite, 2015
Parentage unknown; sdlg no. 3-148-89
Fl. rounded, 115mm wide; perianth segments rounded, truncate, slightly mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, a little inflexed, scarcely mucronate, with margins incurling towards apex; corona funnel-shaped, angled, mouth expanded and wavy, with rim entire. Mid-season. Tall.
Nomenclatural Standard: colour print supplied by registrant (WSY0126462)

'Starlit' 1 W-W

(Brian S.Duncan, 2008) Brian S.Duncan, 2015
'Candlepower' × *N. asturiensis*; sdlg no. 3543
Fl. 40mm wide, facing slightly downwards, pure white; perianth segments 16mm long, lanceolate in outline, blunt at apex, slightly mucronate, spreading, plane, with midrib showing, of heavy substance; the inner segments a little narrower, not noticeably

mucronate; corona cylindrical, smooth, mouth frilled, lobed and a little constricted, with rim flanged and notched. Dwarf. Very early to early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126494)

'Stratagem' 4 Y-P

(David Jackson, 1997) Jackson's Daffodils, 2015
Sdlg 154/85 × sdlg 131/89; sdlg no. 130/97
Fl. rounded, 75mm wide; perianth and other petaloid segments in three whorls, brilliant greenish yellow 4A; the outer whorl 32mm long, roundish, blunt, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower; the inner whorls incurved or folded along midrib, successively more inflexed towards the centre; corona segments 22mm long, interspersed among the perianth segments and clustered towards centre, ribbed and heavily frilled, orange-pink (24B). Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126480)

'Strawberry Ruffles' 3 W-GYR

(Larry Force, 2008) Larry Force, 2015
'Cupid's Eye' × 'Pink China'; sdlg no. 02-97
Fl. 75mm wide; perianth segments rounded, very broad, blunt, prominently mucronate, white, spreading, plane or with margins a little incurved, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, less prominently mucronate, shouldered at base; corona bowl-shaped, angled, yellow, with a broad band of red (sometimes reddish pink) at rim and green at base, mouth expanded, lightly ribbed, deeply six-lobed, with lobes overlapping and wavy, with rim entire. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126471)

'Stuart Roy' 2 Y-R

(R.A.Scamp, 1993) R.A.Scamp, 2015
'Enfield' × 'Rio Rouge'; sdlg no. 545
Fl. 105mm wide; perianth segments 45mm long, broadly ovate, blunt, yellow, with pale mucro, spreading, plane, with margins a little incurved, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, less prominently mucronate, shouldered at base; corona 29mm long, funnel-shaped, smooth, strong orange-red, mouth expanded, lobed, narrowly ribbed and lightly frilled, with rim flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126429)

'Summer Hill' 4 W-YYP

(David Adams, 1996) David Adams, 2014
'Precedent' × 'Tropic Isle'; sdlg no. 89/102A
Fl. 95mm wide; perianth segments 39mm long, ovate, blunt, mucronate, spreading, smooth and of heavy substance, overlapping half

'Sunlight Wings' 2 W-P

(Gordon Coombes, 2006) Gordon Coombes, 2014
'Quiet Waters' × 'Ivory Glow'; sdlg no. G8-06
Fl. rounded, 112mm wide; perianth segments 45mm long, roundish, very broad, prominently mucronate, pure white, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, less prominently mucronate; corona 38mm long, cylindrical, smooth, pale pink, a little darker in tone at rim, mouth flared, broadly ribbed, wavy and shallowly lobed, with rim minutely crenate. Strongly scented. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126389)

'Sunset Skies' 11A W-P

(Colin Crotty, 2006) Colin Crotty, 2014
Sdlg 11A W-WP × sdlg ('Pitta' open pollinated); sdlg no. 32-06
Fl. 98mm wide; perianth segments 32mm long, broadly ovate, blunt, slightly mucronate, spreading, plane or with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, a little inflexed; corona 22mm long, split to base, forming an outer and an inner whorl of three segments, three-quarters the length of and the same width as the perianth segments, opening deep reddish pink, becoming pale pink, darker in tone at the margins; the outer whorl closely overlying the perianth segments, bi-lobed, with lobes overlapping; the inner whorl somewhat inflexed, lobed, folded along midrib and frilled. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126372)

'Sunshine Lollipop' 2 YW-Y

(Charles Wheatley) Suzy Wert, 2015
Parentage unknown; sdlg no. 98-9-03
Fl. 74mm wide, facing slightly upwards; perianth segments roundish, very broad, blunt to truncate, lemon yellow, with white at base and slight white mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, with midrib showing, scarcely mucronate; corona funnel-shaped, smooth, opening bright lemon yellow, becoming paler, mouth straight, wavy and broadly ribbed, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126472)

'Tall Story' 4 W-W

(Colin Crotty, 1993) Colin Crotty, 2014
'Gay Song' open pollinated; sdlg no. 13-93
Fl. 118mm wide, facing slightly upwards; perianth and other petaloid segments in three or more whorls, pure white; the outer whorls 48mm long, ovate, blunt, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping

half; the inner segments a little narrower; the inner whorls inflexed and more nearly concave, successively shorter towards the centre; corona segments 34mm long, creamy white, interspersed among the inner whorls of petaloid segments and clustered at centre, inflexed, lobed, ribbed, a little crumpled and lightly frilled. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126371)

'Toffee Pop' 11A W-YOO

(Colin Crotty, 2007) Colin Crotty, 2014
'Egmont Charm' × 'Caramel Joy'; sdlg no. 9-07
Fl. 104mm wide; perianth segments 37mm long, broadly ovate, blunt, mucronate, white, spreading to a little reflexed, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower; corona 18mm long, split to base, forming an outer and an inner whorl of three segments, each half the length and almost as wide as the perianth segments and closely overlying them, opening yellow, becoming yellow-orange, deeper in tone at rim and yellow at base, bi-lobed, with lobes overlapping, narrowly ribbed and lightly frilled. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126370)

'Trumpet Voluntary' 1 W-W

(Mrs Anne Wright, 2005) Mrs Anne Wright, 2015
Parentage unknown; sdlg no. 2026 C1
Fl. star-shaped, 57mm wide, greenish white (155C); perianth segments 20mm long, ovate, blunt, spreading, concave, with margins recurved, smooth and of heavy substance, separated; the inner segments narrower; corona 24mm long, funnel-shaped, mouth lightly ribbed, with rim irregularly lobed, crenate and widely flanged. Early. Slightly scented. Dwarf.
Nomenclatural Standard: colour print supplied by registrant (WSY0126436)

'Vale House Lake' 1 W-P

(Clive Postles) Roger Braithwaite, 2015
Parentage unknown; sdlg no. 298
Fl. 110mm wide; perianth segments rounded in outline, truncate at apex, prominently mucronate, spreading, plane or with margins incurved, creased and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona cylindrical, angled, mouth ribbed, a little expanded and lightly frilled, with rim notched. Mid-season. Tall.
Nomenclatural Standard: colour print supplied by registrant (WSY0126540)

'Veneto' 4 Y-Y

H.W.van Saase & Son, 2015
Parentage unknown
Fl. 85mm wide, facing upwards; perianth and other petaloid segments in three or more whorls, brilliant

yellow 8A, with slight white (155D) mucro; the outer whorl 35mm long, very broad, blunt to truncate, spreading, plane, with margins a little incurling, with midrib showing, creased and of heavy substance, overlapping half or more; the inner segments narrower, ovate, shouldered at base, scarcely mucronate, a little inflexed; the inner whorls successively shorter and more strongly inflexed towards centre, concave or folded inwards from midrib; corona segments 20mm long, interspersed among the inner perianth segments, brilliant yellow 12A, folded and frilled. Sweetly scented. Early.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126474)

'View Hill' 4 W-YYP

(David Adams, 1996) David Adams, 2014
'Precedent' × 'Tropic Isle'; sdlg no. 89/102D
Fl. 95mm wide; perianth segments 38mm long, ovate, blunt, spreading, plane, smooth and of heavy substance, overlapping half. Corona segments more congested than those of 'Summer Hill'. Mid-season

'White Heaven' 10 W-W

(Walter J.M.Blom, 2002) Walter J.M.Blom, 2015
'Julia Jane' hybrid; sdlg no. ZSA
Fl. star-shaped, 25mm wide, facing upwards; perianth segments 10mm long, lanceolate in outline, blunt at apex, greenish white 155A, spreading, plane or with margins wavy, smooth and of heavy substance, overlapping at base only; corona 20mm long, bowl-shaped, smooth, greenish white 155C, mouth expanded and even, with rim flanged and crenate. Dwarf. Sweetly scented. Autumn to very early spring.
Nomenclatural Standard: colour print supplied by registrant (WSY0126438)

'Willie Mae' 8 Y-O

(Robert Spotts, 2002) Robert Spotts, 2015
'Matador' × sdlg; sdlg no. S-02-X
Fls 3–5 per stem, rounded, 43mm wide; perianth segments 16mm long, broadly ovate, truncate, mucronate, spreading, concave, smooth and of heavy substance; the inner segments overlapping half or more; corona 5mm long, bowl-shaped and slightly ribbed, mouth wavy, with rim entire. Strongly scented. Early

'Wind Whistle' 6 Y-Y

(R.A.Scamp, 1993) R.A.Scamp, 2015
'Arctic Gold' × *N. cyclamineus*; sdlg no. 823
Fl. star-shaped, 76mm wide, facing downwards; perianth segments 35mm long, ovate, blunt, slightly mucronate, reflexed, plane or with margins a little wavy, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 35mm long, cylindrical, smooth, mouth flared, lobed and broadly ribbed, with rim dentate. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126430)

'Winks' 2 Y-YOO

(Jeremy P.E.Wilkes, 2010) Jeremy P.E.Wilkes, 2015
'Badbury Rings' × 'Bailey'; sdlg no. 4/05
Fl. rounded, 75mm wide; perianth segments 31mm long, very broadly ovate in outline, rounded at apex, deep golden yellow, with slight pale mucro, spreading, plane, with margins incurling towards apex, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 13mm long, cup-shaped, orange, with yellow at base, mouth ribbed, wavy, a little expanded and shallowly lobed, with rim crenate and very narrowly flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126450)

'Youth Club' 2 Y-O

(Colin Crotty, 2005) Colin Crotty, 2014
'Fever Pitch' × sdlg 2Y-O; sdlg no. 29-05
Fl. 111mm wide, facing upwards; perianth segments 48mm long, ovate, blunt, mucronate, mid-yellow, a little reflexed, plane or with margins incurling; the inner segments narrower, shouldered at base; corona 22mm long, cup-shaped, angled, bright orange, mouth straight, irregularly ribbed and lightly frilled, with rim dentate. Strongly scented. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126369)

ADDITIONS AND AMENDMENTS TO SUPPLEMENTS AND THE INTERNATIONAL DAFFODIL REGISTER (2008)

The compilers are grateful to those who have drawn attention to omissions from the International Daffodil Register and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at:

www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

SUPPLEMENTS

Amendment to the Second Supplement (2008-2009)

‘Quiet Magic’ Add: PC 2015

Amendment to the Fifth Supplement (2011-2012)

‘Frontier Halo’ Alter colour code to: Y-Y
Description: See Online Register for amendments

‘Peseta’ Alter colour code to: W-Y

Amendment to the Sixth Supplement (2012-2013)

‘Wink o’ Green’ Alter seed parent to: ‘Lady’s Favourite’

Amendments to the Seventh Supplement (2013-2014)

‘Abache’ Add: Nomenclatural Standard WSY0126414

‘Blithe’ Add: Nomenclatural Standard WSY0126409

‘Chivy’ Add: Nomenclatural Standard WSY0126413

‘Compulsion’ Add: Nomenclatural Standard WSY0126411

‘Cut Crystal’ Add: Description: See Online Register

‘Eye Opener’ Add: Nomenclatural Standard WSY0126412

‘Firebright’ Alter sdlg 2328 (‘Solar System’ × [‘Amboseli’ × Burning Bush]): to ‘Solar Heat’

‘Golden Echo’ Add: ADS Wister Award 2015

‘Gold Step’ Alter Nomenclatural Standard to: WSY0126247

‘Hello Georgeous’ Alter name to: ‘Hello Gorgeous’

‘Laura G’ Alter to: Division 2

‘Rummen’ Add: Nomenclatural Standard WSY0126443

‘Sizzle’ Add: Nomenclatural Standard WSY0126410

‘White Paradise’ Add to description: Dwarf

INTERNATIONAL DAFFODIL REGISTER (2008)

Amendments to the Register

NB Notes of variability do not alter the classification see p. 2, Note 1)

‘Banker’ Add: FCC 2015

‘Dream Team’ Alter colour code to: Y-O

‘Francisca Drake’ Add to checklist: Unregistered
Add: Syn. of Franciscus Drake’

‘Franciscus Drake’ Alter colour code to: WWY-YOO
Add: Syn. ‘Francisca Drake’; See Online Register for description

‘Geranium’ Add: ADS Wister Award 2016

‘Jennifer Robin’ Add: Syn. of ‘Jennifer Robyn’

‘Jennifer Robyn’ Add: Syn. ‘Jennifer Robin’

'Mesa Verde'	Add: ADS Pannill Award 2015
'Mrs Barton'	Add: 2 W-YYO; See Online Register for description
'Orono'	Alter colour code to: W-Y
'Sunray'	Alter colour code to: Y-YOO. See Online Register for description
'Sunrise'	Alter: *AM(m) to: 1926 Add: FCC 1901
'Treskerby'	Alter colour code to: W-R
'Trewirgie'	Add: AM(e) 1928
'Turin'	Alter colour code to: W-GYO
'Waneta'	Alter colour code to: W-P

Additions to the List of Originators and Registrants


Bishop	Matt, Yelverton, Devon
Hardy	Dave, Omagh, Co. Tyrone
Johnston	Ben & Luke, Ballynahinch, Co. Down
Johnston	Roger, Ballynahinch, Co. Down
Martin	Lee & Julie, Pevensey, East Sussex
Moore	Billy, Dublin, Ireland
van Ruiten	Mr, Holland
van Saase	H.W., & Son, De Zilk, Netherlands
Wert	Suzy, Indianapolis, USA
Zijper Nursery	Burgerbrug, Netherlands

Amendments to the List of Originators and Registrants

Havens, Richard	d. 2014
-----------------	---------

Illustrations of descriptive terms

FLOWER



star-shaped



double triangle




rounded


PERIANTH SEGMENTS



reflexed □



inflexed



spreading



plane



concave



twisted



ovate



*very broadly
ovate*



oblong



obovate



*shouldered
at base*



spatulate



acute



blunt



mucronate



truncate

CORONA - from the side

- section



cylinder



funnel



cup



bowl



disc



smooth



angled




ribbed

CORONA MOUTH - from the side

- section



straight



flared



even



wavy



frilled



lobed

CORONA RIM - from the side

- section



flanged



rolled



entire



dentate



crenate

ISBN 9781907057632



9 781907 057632