



Royal
Horticultural
Society

Sharing the best in Gardening

The International Daffodil Register & Classified List (2008)

Ninth Supplement



© 2016 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

Charity registration number 222879 / SC038262

International Daffodil Registrar:
Melanie Underwood

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

ISBN 9781907057694

Printed and bound in the UK by Page Bros, Norwich

The previous supplement (Eighth Supplement) was published on 31 December 2015

Cover: “Narcissus cyclamineus, Johnstoni and Triandrus albus”
from 1887 Barr and Son daffodil catalogue.
Image courtesy of RHS Lindley Library

NINTH SUPPLEMENT
to
THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008)
2015–2016

The daffodil names listed here are supplementary to the *International Daffodil Register (2008)*; they were registered between 1 July 2015 and 30 June 2016. They are followed by a list of some other recent additions and amendments to the Register.

Registration — page 1
Notes on classification and description — page 2
Registrations 2015–2016 — page 3
Additions and amendments to previous Supplements — page 23
Additions and amendments to the International Daffodil Register (2008) — page 23
Additions to the RHS List of Botanical Names in the Genus *Narcissus* — page 24
Additions to the RHS Botanical Classification — page 24
Illustrations of Descriptive Terms — inside back cover

REGISTRATION

Hybridizers, raisers and other introducers of daffodils are urged to ensure that the names of new plants are registered and are reminded that registration should preferably take place before plants are released or catalogued. Registration is conducted by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*. Application forms are available from:

- The International Daffodil Registrar: Mrs Melanie Underwood
RHS Wisley, Woking, Surrey GU23 6QB, UK
Fax (44) 01483 211750
Email melanieunderwood@rhs.org.uk
- The National Daffodil Registrar (the Netherlands): Drs J. van Scheepen
KAVB, Postbus 175, 2180 AD Hillegom, the Netherlands
Fax (31) 2525 369 51
Email vanscheepen@kavb.NL
- The National Daffodil Registrar (Czech Republic): Ing. Ivan Karakoz
ul. Zizkova cp. 1539, 274 01 Slaný, Czech Republic
Email Karakoz@seznam.cz
- The National Daffodil Registrar (USA): Mrs Mary Lou Gripshover
1686 Grey Fox Trail, Milford, Ohio 45150, USA
Tel 001 513 248 9137
Email mgripshover@cinci.rr.com
- The National Daffodil Registrar (Japan): Miss Eri Komoriya
1196 Ohkido-Cho, Midori-ku, Chiba-City, Chiba 267-0057, Japan
Fax 81-43-294-8504
Email rxe12572@nifty.ne.jp
- The National Daffodil Registrar (Australia): Mrs Jennie Jamieson
11 Bromley Place, Kingsley, WA 6026, Australia
Fax (61) 89 409 1156
Email ndaaliaison@hotmail.com
- The National Daffodil Registrar (New Zealand): Mr Wilfred Hall
105 Wallace Loop Rd, Ihakara, RD1 Levin, New Zealand 5571
Email wilshe@xtra.co.nz

Once registered, names and classifications may be changed only with the agreement of the International Cultivar Registration Authority, upon application to the International Registrar.

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See page 23 for any notes of variability in previous registrations).

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant’s discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

– Green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

– Non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white flower with radial bands of orange and yellow on the corona segments would be W-W/OY.

Note 3 – on colour terms

Colour Chart numbers in registered descriptions, e.g. 155C in ‘Abbey Road’ are from the *RHS Colour Chart* (1966, 1986, 1995, 2001, 2007, 2015). Colour names followed by Chart numbers without brackets are equivalents adopted by the RHS for all its international registers. They are taken from the Universal Colour Language in the Inter-Society Color Council-National Bureau of Standards colour-name system. Colour names followed by Chart numbers with brackets or by no numbers at all are those supplied by the registrant.

Note 4 – on description

Registered descriptions are drawn up from application forms and, whenever possible, from photographs and actual specimens too. The Registrar would welcome readers’ comments on the accuracy of all descriptions.

Illustrations of descriptive terms appear on the inside back cover.

Note 5 – on height

Stem heights in registered descriptions may be taken to be Standard (325–675mm) unless otherwise stated, when they will be described as Dwarf (less than 325mm) or Tall (more than 675mm).

Note 6 – on Standards

The Standard noted at the end of some descriptions is the designated herbarium specimen or illustration forming a permanent record of the distinguishing characteristics of the cultivar and fixing the cultivar name.

REGISTRATIONS 2015–2016

The following **171** cultivar names were registered between 1 July 2015 and 30 June 2016 by The Royal Horticultural Society, International Cultivar Registration Authority for the genus *Narcissus*.

To access the *International Daffodil Register and Classified List* (2008) and to download the PDF document *Supplements 1–9 Cumulative List of Registrations (Abridged)* go to:

www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

Entries follow the style of those in the *International Daffodil Register and Classified List* (2008) and may be interpreted accordingly (see p10 in the Register).

The seed parent is given before the pollen parent.

'Abbey Road' 5 YYW-W

(K.van der Veek, 2003) Ivor Fox, 2016
'Chipper' hybrid

Fls 3 per stem, star-shaped, 74mm wide, facing downwards; perianth segments 32mm long, ovate to oblong, blunt, greenish yellow (3B/C), with greenish white 155C at base and extending irregularly towards apex, with slight pale mucro, a little reflexed, plane, with margins incurved to a little wavy, smooth and of heavy substance, overlapping at base only; the inner segments a little narrower, more nearly spreading; corona 16mm long, cup-shaped, close to white (c. 155C), smooth, mouth slightly expanded and shallowly lobed, with rim minutely crenate. Strongly and sweetly scented. Dwarf. Mid-season. Nomenclatural Standard: RHS colour print (WSY0126640)

'Alice Falls' 5 Y-Y

(Malcolm Wheeler, 2008) Malcolm Wheeler, 2016
'Limequilla' × *N. triandrus* subsp. *triandrus*;
Sdlg no. M63A

Fls 3–5 per stem, 65mm wide, facing downwards; perianth segments 27mm long, ovate, blunt, mucronate, reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments a little narrower; corona 21mm long, cup-shaped, smooth, mouth a little expanded, wavy and lightly ribbed, with rim entire. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126582)

Eymology: Named for the waterfall at the head of George Sound, Fiordland National Park, New Zealand

'Aspire' 2 Y-O

(J.A.Hunter, 1995) J.A.Hunter, 2016
'Jamore' × ('Cresalla' × 'Loch Hope');
Sdlg no. 46/90E

Fl. 110mm wide; perianth segments 48mm long, broadly ovate, brilliant yellow 7A, spreading, plane, smooth and of heavy substance; corona 21mm long, cup-shaped, strong orange 25A, mouth wavy. Mid-season

'Autumn Sage Group' 7 G-G

(H.Koopowitz, 2007) H.Koopowitz, 2016
'Emerald Sea' × 'Lima's Green Success'; sdlg no. 03-094
Fl. star-shaped, 70mm wide; perianth segments lanceolate, blunt, scarcely mucronate, very pale greyish-green (157B), reflexed, plane, smooth and of heavy substance, separated; the inner segments narrower; corona cup-shaped, broadly ribbed, yellowish grey-green (195B), mouth expanded and wavy, with rim crenate. Strongly scented. Autumn flowering.
Group characteristics: unusual 'sage' perianth colour, fairly uniform in height, flower shape and flowering time. Nomenclatural Standard: colour print supplied by registrant (WSY0126663)

'Bankerine' 2 Y-O

(G.J.Phillips, 2002) G.J.Phillips, 2016
'Loch Hope' hybrid × 'Banker'; sdlg no. I74-1
Fl. 102mm wide; perianth segments 46mm long, very broadly ovate, blunt, yellow, with white mucro, spreading, plane, smooth and of heavy substance, overlapping half for more; the inner segments narrower, shouldered at base, margins a little incurving, less prominently mucronate; corona 40mm long, funnel-shaped, angled, orange, mouth flared and wavy, with rim notched. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126713)

'Banoffee' 9 W-GYY

(Wilfred Hall, 2008) Wilfred Hall, 2015
Parentage unknown; sdlg no. WP-3
Fl. 60mm wide; perianth segments 24mm long, very broadly ovate, truncate, mucronate, white, spreading, plane, sometimes with margins incurving, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 5mm long, disc-shaped, ribbed, light greenish yellow 5C, with a narrow band of a deeper tone (5B) at rim and green (153C) at base, with rim ribbed and notched. Late. Nomenclatural Standard: colour print supplied by registrant (WSY0126598)

'Bear Cub Beth' 4 Y-O

(Brian S.Duncan, 2008) Dr William Stewart, 2015
 'Innovator' × 'Bear Springs'; sdlg no. 3751
 Fl. 106mm wide; perianth and other petaloid segments in three or more whorls, deep yellow, with slight pale mucro; the outer whorl 44mm long, broadly ovate, blunt, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments a little narrower; the inner whorls successively more inflexed towards the centre, concave or folded inwards along midrib; corona segments half the length of the petaloid segments and interspersed among the inner whorls, strong orange, frilled, becoming more crumpled towards the centre. Early to mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126542)

'Beauvale' 3 Y-YYO

(Clive Postles) Roger Braithwaite, 2016
 Parentage unknown; sdlg no. 378
 Fl. 108mm wide; perianth segments ovate, blunt, yellow with pale mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments shouldered at base, scarcely mucronate; corona cup-shaped, smooth, yellow, with orange at rim, mouth expanded and broadly ribbed, with rim wavy and notched. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126670)

'Bells Island' 5 Y-Y

(C.Higgins, 2007) C.Higgins, 2016
N. triandrus subsp. *triandrus* var. *triandrus* × *N. fernandesii* var. *cordubensis*; sdlg no. 10-71
 Fls 2–4 per stem, star-shaped, 38mm wide, facing downwards; perianth segments 23mm long, oblong, truncate, slightly mucronate, reflexed, plane, with margins incurving, with midrib showing, of heavy substance, overlapping a quarter; corona 10mm long, cup-shaped, smooth, mouth straight, broadly ribbed and a little wavy, with rim entire. Dwarf. Early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126648)

'Bentley Brook' 1 Y-Y

(Clive Postles) Roger Braithwaite, 2016
 Parentage unknown; sdlg no. 326
 Fl. forming a double triangle, 120mm wide; perianth segments broadly ovate, blunt, yellow with pale mucro, spreading, plane, with margins incurving, creased, of heavy substance, overlapping half or more; the inner segments narrower, more nearly concave, a little inflexed, shouldered at base; corona funnel-shaped, smooth, yellow, mouth straight, frilled, with rim broadly flanged. Tall. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126660)

'Benton Harbor' 2 Y-P

(John R.Reed) John R.Reed, 2016
 'Fragrant Rose' × 'Culmination'; sdlg no. 90-95-1
 Mid-season

'Bill's Bonus' 1 Y-O

(G.J.Phillips, 2003) G.J.Phillips, 2016
 ('Loch Hope' sdlg × sdlg 14-93) × 'Banker'; sdlg no. I120-1
 Fl. 98mm wide; perianth segments 44mm long, very broadly ovate, blunt, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 44mm long, funnel-shaped, angled, mouth expanded and even, with rim narrowly flanged and minutely crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126715)

'Bloomfield Beauty' 11a Y-R

(R.A.Scamp, 1996) R.A.Scamp, 2016
 ('Brandaris' × 'Paricutin') × 'Sportsman'; sdlg no. 987A
 Fl. rounded, 80mm wide; perianth segments 30mm long, rounded, very broad, truncate, yellow with prominent pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 14mm long, split almost to the base, forming an outer and an inner whorl of three, each segment closely overlying and half the length and width of the perianth segments, ribbed, frilled and lobed, with lobes overlapping, red. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126685)

'Blossom Phoenix' 1 W-W

(2015) L.Tomlinson, 2016
 Postles sdlg × 'Beersheba'
 Fl. forming a double triangle, 115mm wide, facing downwards; perianth segments 45mm long, broadly ovate, blunt, slightly mucronate, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping one-third; the inner segments narrower; corona 50mm long, funnel-shaped, angled, mouth straight and wavy, with rim flanged and crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126679)

'Bowmore' 9 W-GYR

(Colin Crotty, 2005) Colin Crotty, 2015
 Parentage unknown; sdlg no. CC37-05
 Fl. rounded, 65mm wide; perianth segments 26mm long, rounded, very broad, truncate, mucronate, a little reflexed, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, blunt, more nearly spreading; corona 4mm long, disc-shaped, ribbed, mouth expanded and lightly frilled, with rim dentate. Sweetly scented. Late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126575)

'Bramcote Gem' 1 W-Y

(Clive Postles) Roger Braithwaite, 2016
 'Ben Aligin' × 'Elmbridge'; sdlg no. 307
 Fl. 125mm wide; perianth segments broadly ovate, blunt, white, touched yellow at base, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona funnel-shaped, smooth, yellow, mouth wavy and finely ribbed, with rim notched and narrowly flanged. Tall. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126662)

'Bright Day' 8 Y-O

Fa.Veul, 2015
 Parentage unknown
 Fls 5 per stem, 50mm wide; perianth segments 20mm long, very broadly ovate, truncate, mucronate, brilliant greenish yellow 5A, a little reflexed, concave, with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, more nearly plane; corona 10mm long, bowl-shaped, ribbed, strong orange N25C, mouth flared, wavy and shallowly lobed, with rim entire. Strongly scented. Mid-season.
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126546)

'Buffalo Village' 2 Y-Y

(Joe Hamm, 1998) Joe Hamm, 2016
 'Countess of Stair' open pollinated; sdlg no. JH01.92
 Fl. 115mm wide, facing upwards; perianth segments 40mm long, ovate, blunt, yellow with white mucro, spreading, plane or a little wavy, creased and of membranaceous substance, overlapping one-third; the inner segments narrower; corona 30mm long, funnel-shaped, ribbed, yellow, mouth straight and heavily frilled, with rim notched. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126688)

'Busbie' 12 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2016
N. cyclamineus × *N. jonquilla*; sdlg no. 3692
 Fls 1–2 per stem, star-shaped, 41mm wide, facing downwards, deep golden yellow; perianth segments 24mm long, lanceolate, acute, with prominent pale mucro, reflexed, plane, smooth and of heavy substance, overlapping at base only; corona 10mm long, cylindrical, smooth, mouth straight, ribbed and a little wavy, with rim notched. Dwarf. Very early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126669)

'Capability Brown' 9 W-GYR

(R.A.Scamp, 1996) R.A.Scamp, 2016
 Sdlg (9W-GYR) × *N. poeticus* var. *hellenicus*;
 Sdlg no. 1012
 Fl. rounded, 64mm wide; perianth segments 26mm long, roundish, very broad, truncate, mucronate, reflexed, plane or a little twisted, with margins incurved, smooth and of membranaceous substance, overlapping half or more; the inner segments a little narrower, less prominently mucronate; corona 5mm long, disc-shaped, mouth ribbed and a little wavy, with rim crenate. Strongly scented. Late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126623)

'Carole's White' 1 W-W

(G.J.Phillips, 2000) G.J.Phillips, 2016
 'Analeise' [unregistered] × sdlg 3-97 ('Glenlee' hybrid);
 Sdlg no. 183-4
 Fl. 100mm wide; perianth segments 44mm long, ovate, blunt, prominently mucronate, pure white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 44mm long, cylindrical, smooth, creamy white, mouth expanded, ribbed and wavy, with rim entire. Early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126717)

'Castle Acre' 1 Y-W

(John Gibson, 2009) John Gibson, 2016
 'Young American' × 'Caribbean Snow';
 Sdlg no. 169-11-03
 Fl. 105mm wide; perianth segments 41mm long, broadly ovate, blunt, brilliant greenish yellow 5B, touched white at base and with pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower; corona 42mm long, funnel-shaped, angled, white, mouth straight and a little wavy, with rim shallowly and irregularly notched. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126702)

'Catherine Ann' 3 Y-YYO

(R.Beckwith, 2006) R.Beckwith, 2016
 'Moon Shadow' × 'Nonchalant'; sdlg no. 10-12-01
 Fl. forming a double triangle, 98mm wide; perianth segments 42mm long, ovate, very broad at base, narrowing towards apex, triangular in outline, slightly mucronate, light greenish yellow 6D, spreading, plane, with margins incurved, smooth and of membranaceous substance, overlapping half; the inner segments narrower, more nearly ovate, shouldered at base; corona 9mm long, bowl-shaped, ribbed, vivid yellow 12A, with narrow band of yellowish orange (23B) at rim, mouth flared and frilled, with rim dentate. Sweetly scented. Late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126636)

'Catherine of Claonaig' 3 W-GYR

(D.C.MacArthur, 2001) D.C.MacArthur, 2016
'Jane van Kralingen' × 'Merlin'; sdlg no. ED8601
Fl. 84mm wide; perianth segments 36mm long,
broadly ovate, blunt, mucronate, greenish white
155C, spreading, plane, with margins incurved, with
midrib showing, of heavy substance, overlapping half
or more; the inner segments narrower, scarcely
mucronate, shouldered at base; corona 9mm long,
bowl-shaped, ribbed, brilliant greenish yellow 6C,
with orange-red (32A) at rim and moderate yellow
green 143D at base, mouth straight, wavy and lobed,
with rim crenate. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126628)

'Causeway Julie' 3 Y-YYR

(Derrick Turbitt, 2006) Derrick Turbitt, 2015
Sdlg D1714 × 'Garden News'; sdlg no. 0617
Fl. 76mm wide; perianth segments 30mm long,
roundish, very broad, blunt, mid-yellow, with slight
white mucro, spreading, plane or with margins
incurved, smooth and of membranaceous substance,
overlapping half or more; the inner segments
narrower, scarcely mucronate; corona 7mm long,
bowl-shaped, smooth, yellow with a broad band of
red at rim, mouth flared and wavy, with rim crenate.
Dwarf. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126568)

'Chitter' 2 Y-Y

(Brian S.Duncan, 2007) Brian S.Duncan, 2016
'Small Talk' × *N. rupicola*
Fl. forming a double triangle, 42mm wide; perianth
segments 27mm long, broadly ovate, blunt, yellow
with prominent pale mucro, spreading, plane or with
margins a little incurved, creased and of
membranaceous substance, overlapping one-third;
the inner segments a little narrower, less prominently
mucronate; corona 13mm long, cup-shaped, smooth,
yellow, mouth a little expanded and wavy, with rim
entire. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126679)

'Christine's Dream' 3 Y-Y

(R.Beckwith, 2006) R.Beckwith, 2016
'Moon Shadow' × 'Nonchalant'; sdlg no. 4-12-2001
Fl. forming a double triangle, 90mm wide; perianth
segments 39mm long, roundish, very broad, very
slightly truncate at apex, mucronate, light greenish
yellow (2C), spreading, plane, with margins incurved,
with midrib showing, of membranaceous substance,
overlapping half or more; the inner segments
narrower, more nearly ovate, scarcely mucronate;
corona 10mm long, bowl-shaped, ribbed, brilliant
yellow 7A, mouth expanded and lightly frilled, with
rim flanged and dentate. Sweetly scented. Early.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126634)

'Clara L. Waugh' 2 W-P

(D.C.MacArthur, 1990) D.C.MacArthur, 2016
'Dailmanach' × 'Sweet Georgia'; sdlg no. ED9390
Fl. 99mm wide; perianth segments 39mm long,
broadly ovate, blunt, slightly mucronate, greenish
white 155C, spreading, plane, with margins a little
incurved, with midrib showing, of heavy substance,
overlapping half or more; the inner segments
narrower; corona 29mm long, funnel-shaped, ribbed,
yellowish pink (27B), with paler yellowish pink
(27C) at base and orange-pink (29C) at rim, mouth
wavy and slightly expanded, with rim notched.
Sweetly scented. Mid-season. Nomenclatural
Standard: colour print supplied by registrant
(WSY0126631)

'Clear Morning' 2 W-Y

(Nial Watson, 2012) Ringhaddy Daffodils, 2016
'Queen's Guard' × 'Hilford'; sdlg no. W919
Fl. 125mm wide; perianth segments 55mm long,
broadly ovate, blunt, slightly mucronate, white,
spreading, plane or with margins incurved, smooth
and of heavy substance, overlapping half; the inner
segments a little narrower; corona 48mm long,
funnel-shaped, angled, vivid yellow 9A, mouth
expanded and wavy to lightly frilled, with rim
crenate. Sweetly scented. Early to mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126601)

'Coconut Cream' 2 W-W

(Graeme & Faith Miller, 2010) Graeme & Faith
Miller, 2016
'Frontier Snow' × 'Lady Diana' [unregistered];
Sdlg no. GM10-15
Fl. 112mm wide, greenish white 157B; perianth
segments 48mm long, broadly ovate, truncate,
slightly mucronate, spreading, concave, with midrib
showing, of heavy substance, overlapping half or
more; the inner segments narrower, shouldered at
base; corona 40mm long, funnel-shaped, angled,
mouth straight, ribbed and frilled, with rim crenate.
Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126729)

'Code Red' 2 Y-O

(Colin Crotty) Colin Crotty, 2015
'Fever Pitch' × Hunter sdlg 20/81; sdlg no. 12-05
Fl. 110mm wide; perianth segments 48mm long,
broadly ovate, blunt, scarcely mucronate, mid-yellow,
spreading, concave, with margins incurving, smooth
and of membranaceous substance, overlapping half or
more; the inner segments narrower, shouldered at
base; corona 19mm long, ribbed, bright orange,
mouth expanded and lightly frilled, with rim dentate.
Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126574)

'Cordoby' 7 Y-Y

(John Gibson) John Gibson, 2016
 Selection from open pollinated *N. fernandesii* var. *cordubensis*

Fls up to 6 per stem, 29mm wide, facing upwards; perianth segments 12mm long, obovate, blunt, prominently mucronate, reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, scarcely mucronate; corona 8mm long, bowl-shaped, broadly ribbed, mouth straight and wavy, shallowly six-lobed, with rim entire. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126698)

'Cornish King' 1 W-Y

Fa.Veul, 2016

Parentage unknown

Fl. 110mm wide, facing downwards; perianth segments 45mm long, broadly ovate, blunt, scarcely mucronate, greenish white 155A, spreading, concave, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, slightly inflexed, shouldered at base; corona 45mm long, funnel-shaped, angled, brilliant greenish yellow 5A, mouth ribbed, wavy and lobed, with rim entire and broadly flanged. Sweetly scented. Mid-season. Nomenclatural Standard: colour print supplied by KAVB (WSY0126594)

'Cosmic Image' 4 W-YRR

(J.A.Hunter, 2007) J.A.Hunter, 2016

'Tranquil Image' × 'Cosmic Dawn'; sdlg no. 2/02B
 Fl. 105mm wide; perianth segments 40mm long, broadly ovate, rounded, spreading, plane, smooth and of heavy substance, overlapping half or more. Late

'Crimson Beauty' 2 W-R

(John R.Reed) John R.Reed, 2016

('Decoy' × 'Culmination') × 'Magician'; sdlg no. 97-86-1
 Mid-season to late

'Crisis Point' 2 W-R

(J.A.Hunter, 2010) J.A.Hunter, 2016

Sdlg 51/97A × 'Luvit'; sdlg no. 57/05A
 Fl. 103mm wide; perianth segments 43mm long, broadly ovate, rounded, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half for more; inner segments slightly narrower; corona 22mm long, cylindrical, lightly ribbed, orange-red (42A), mouth straight and a little wavy, with rim notched. Late

'Daffelina' 1 Y-Y

(D.C.MacArthur, 1992) D.C.MacArthur, 2016

'Magnificence' × 'Sun Dance'; sdlg no. EV9366
 Fl. 97mm wide, facing upwards; perianth segments 41mm long, ovate, blunt, mucronate, vivid yellow 13A, spreading, plane, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona 44mm long, funnel-shaped, ribbed, yellow (15A), mouth flared and wavy, with rim notched. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126633)

'Daphne Jones' 7 Y-R

(R.A.Scamp, 1996) R.A.Scamp, 2015

'Pipe Major' × *N. jonquilla*; sdlg no. 726 81x91

Fls 2 per stem, 76mm wide; perianth segments 32mm long, broadly ovate, blunt, yellow, with prominent white micro, spreading, plane or with margins incurved, creased and of membranaceous substance, overlapping half; the inner segments narrower, margins a little wavy, less prominently mucronate; corona 12mm long, bowl-shaped, angled, red, mouth a little expanded, ribbed and wavy, irregularly and shallowly lobed, with rim entire. Strongly scented. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126545)

'Dawn Duel' 12 Y-Y

(Brian S.Duncan, 2010) Brian S.Duncan, 2016

N. cyclamineus × *N. jonquilla*; sdlg no. 3691

Fl. 42mm long, deep yellow, facing downwards; perianth segments 27mm long, lanceolate, acute, with slight pale micro, reflexed, plane, smooth and of heavy substance, overlapping at base only; corona 13mm long, cylindrical, angled, mouth a little expanded, even and lobed, with rim entire. Dwarf. Very early to early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126675)

'Divergent' 3 Y-Y

(J.A.Hunter, 2007) J.A.Hunter, 2016

'Chortle' × sdlg 41/97A; sdlg no. 52/02A

Fl. forming a double triangle, 78mm wide; perianth segments 31mm long, broadly ovate, brilliant greenish yellow 3B, spreading, plane, smooth; corona 10mm long, bowl-shaped, brilliant greenish yellow 3A, mouth wavy. Late

'Double Joy' 4 Y-O

(Ronald Dignum) J.Dignum & Sons, 2015

Sport of 'Jetfire'

Fl. 80mm wide; perianth and other petaloid segments 35mm long, vivid yellow 12A, in several whorls; the outer whorl ovate to oblong, blunt to rounded, mucronate, spreading to a little reflexed, plane or with margins incurved, with midrib showing, of heavy substance, overlapping one-third; the inner segments narrower, shouldered at base; the inner whorls successively shorter and more strongly inflexed towards centre, concave; corona segments 15mm long, interspersed among the inner petaloid segments and clustered at centre, yellow-orange (17A), ribbed and lightly frilled, with rim crenate. Sweetly scented. Early. Dwarf.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126544)

'Early Choice' 1 Y-Y

(Brian S.Duncan) Brian S.Duncan, 2016
 Fl. forming a double triangle, 103mm wide, facing upwards; perianth segments 42mm long, broadly ovate, blunt, vivid yellow 9A with slight pale mucro, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 45mm long, funnel-shaped, angled, vivid yellow 14A, mouth flared and lightly frilled, with rim notched.
 Nomenclatural Standard: RHS colour print (WSY0126665)
 PC(e) March 2016

'Eastbrook Cascade' 5 Y-W

(John Gibson, 2010) John Gibson, 2016
N. triandrus subsp. *triandrus* × *N. assoanus*;
 Sdlg no. G212M
 Fls up to 4 per stem, 35mm wide, facing downwards; perianth segments 17mm long, ovate, blunt, reflexed, plane, with margins incurving, smooth and of heavy substance, overlapping a quarter; the inner segments narrower; corona 8mm long, cup-shaped, smooth, mouth straight and even, with rim entire. Dwarf.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126694)

'Effigy' 2 W-O

(Malcolm Wheeler, 2008) Malcolm Wheeler, 2016
N. atlanticus × McQuarrie Sdlg A42 (9W-R);
 Sdlg no. M95F
 Fl. 44mm wide; perianth segments 20mm long, ovate, mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 16mm long, bowl-shaped, smooth, mouth flared and even, with rim entire. Dwarf. Mid-season

'Eleanor Auchincloss' 3 W-YWY

(C.van der Veek) White Flower Farm, 2015 Open pollinated sdlg
 Perianth segments ovate, truncate, prominently mucronate, white, reflexed, concave, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, more nearly spreading, shouldered at base; corona bowl-shaped, white, with yellow at base and a narrow band of yellow at rim, mouth a little expanded, irregularly ribbed and lobed, with lobes overlapping and with rim crenate. Tall. Late.
 Nomenclatural Standard: colour print supplied by hybridizer (WSY0126565)

'Elfin Glen' 1 YYW-P

(J.A.Hunter, 2009) J.A.Hunter, 2016
 Hunter sdlg 80/98B ('Baldock' × 'American Heritage') × 'Intense'; sdlg no. 39/04
 Fl. 65mm wide; perianth segments 26mm long, broadly ovate, blunt, vivid yellow 9B, with white mucro and white at base, spreading, plane or with margins incurved, creased and of membranaceous substance, overlapping half or more; the inner

segments narrower, shouldered at base, truncate, scarcely mucronate; corona 33mm long, cylindrical, smooth, strong yellowish pink 38A, with moderate yellowish pink (38C) at base, mouth expanded, even and lobed, with rim flanged and notched. Dwarf. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126612)

'Eliot Ming' 3 WWY-YYR

(C.van der Veek) White Flower Farm, 2015
 Open pollinated sdlg
 Perianth segments roundish, very broad, truncate, mucronate, white with yellow at base, spreading, plane to a little concave, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, ovate, less prominently mucronate, shouldered at base; corona bowl-shaped, ribbed, yellow with a band of red at rim, mouth a little expanded and irregularly lobed, with rim crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by hybridizer (WSY0126566)

'Elvin's Voice' 5 W-GWW

(Brent & Becky Heath) J.P.de Goede, 2015
 'Stainless' × *N. triandrus*; sdlg no. 57B
 Fls 2 per stem, 75mm wide, facing upwards; perianth segments 30mm long, very broadly ovate, blunt, mucronate, greenish white 157D, spreading to a little reflexed, plane or a little concave, with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 20mm long, cup-shaped, angled, greenish white 157D, with green (151C) at base, mouth expanded, ribbed and wavy, with rim crenate and narrowly flanged. Strongly scented. Mid-season.
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126569)

'End Zone' 2 W-R

(John R.Reed) John R.Reed, 2016
 'Verran Rose' × 'Magician'; sdlg no. 98-2003-2009
 Mid-season

'Farr Hall' 8 W-Y

(T.E.Snazelle, 2006) T.E.Snazelle, 2016
 'Golden Aura' × *N. dubius*; sdlg no. 00/03/01
 Fls 3-6 per stem, 40mm wide, facing upwards; perianth segments 15mm long, roundish, truncate or blunt, prominently mucronate, opening yellow becoming white, spreading, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments more nearly ovate, inflexed, with margins incurving or wavy, shouldered at base, less prominently mucronate; corona 5mm long, bowl-shaped, ribbed, opening orange becoming yellow, mouth flared and wavy, with rim minutely crenate. Early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126555)

'Felley Priory' 2 Y-Y

(Clive Postles) Roger Braithwaite, 2016

'Ombersley' hybrid; sdlg no. 436

Fl. 110mm wide; perianth segments broadly ovate, blunt, scarcely mucronate, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona funnel-shaped, smooth, mouth lightly frilled, with rim flanged and notched. Tall. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126672)

'Fernhill Gold' 1 Y-Y

(W.J.Cowie, 2010) W.J.Cowie, 2016

'Gympie' × 'Ombersley'; sdlg no. LWJC-13-9

Fl. 105mm wide, deep golden yellow; perianth segments 45mm long, ovate, blunt, scarcely mucronate, spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 47mm long, cylindrical, smooth, mouth a little expanded, ribbed and wavy, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126726)

'Fiery Ring' 3 Y-YYO

(Nial Watson, 2010) Ringhaddy Daffodils, 2016

'Pacific Rim' × 'Causeway Ringer'; sdlg no. W833

Fl. 102mm long; perianth segments 45mm long, roundish, very broad, blunt, light greenish yellow 5C, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 14mm long, bowl-shaped, angled, vivid yellow 12A, with a band of strong orange 25A at rim, mouth expanded, ribbed and wavy, with rim entire. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126600)

'Fiordland Fire' 2 Y-R

(Malcolm Wheeler, 2005) Malcolm Wheeler, 2016

'Rheban Red' × 'Cameo Fire'; sdlg no. M56

Fl. 110mm wide; perianth segments 48mm long, roundish, blunt, mucronate, reflexed, plane, with midrib showing, of heavy substance, overlapping half or more; the inner segments ovate, shouldered at base, more nearly spreading; corona 26mm long, cup-shaped, angled, mouth a little expanded, ribbed and lightly frilled, with rim dentate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126583)

'Galactic Image' 2 W-P

(J.A.Hunter, pre-1995) J.A.Hunter, 2016

'Cosmic Glow' × 'Pink Cosmos'; sdlg no. 46/01L

Fl. 112mm wide; perianth segments 46mm long, broadly ovate, white, spreading, smooth and of heavy substance; corona 37mm long, lightly ribbed, light yellowish pink 38C, mouth flared and wavy. Mid-season.

'Gay Tabor' 4 W-O

(J.L.Richardson, pre-1995) H.Wijnhout, 2016

Parentage unknown

Fl. rounded, 100mm wide; perianth and other petaloid segments in three or more whorls, greenish white 155A; the outer whorls 45mm long, very broadly ovate, truncate, mucronate, spreading, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; the inner whorls successively more strongly inflexed towards centre, narrower, with those at the centre one-third the length of the outer perianth segments and more nearly folded inwards along midrib; corona segments 12mm long, interspersed among the inner petaloid segments, strong orange N25C, frilled and notched. Mid-season. Strongly scented. Exhibited at KAVB shows in 1995.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126649)

'Glad Tidings' 7 Y-O

(Walter J.M.Blom, 2006) Walter J.M.Blom, 2016

('Velocity' × 'Glen Clova') × *N. jonquilla* var. *henriquesii*; Sdlg no. 416-4

Fls up to 3 per stem, 50mm wide; perianth segments 20mm long, ovate, blunt, a little reflexed, plane, with margins wavy, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 15mm long, cup-shaped, ribbed, mouth straight and wavy, with rim dentate. Strongly scented. Dwarf. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126703)

'Gold Accent' 1 Y-Y

(Walter J.M.Blom, 2006) Walter J.M.Blom, 2016

Sdlg MO 231-3 × 'Velocity'; sdlg no. 637-1

Fl. 30mm wide; perianth segments 15mm long, oblong, acute, brilliant greenish yellow 3B, spreading, plane, wavy, smooth and of heavy substance, overlapping a quarter; the inner segments narrower; corona 25mm long, cylindrical, ribbed, brilliant yellow 7A, mouth expanded and frilled, with rim rolled and dentate. Sweetly scented. Dwarf

'Golden Pearl' 4 WWY-Y

(K. van der Veek) W.van Lierop & Sons, 2016

Parentage unknown

Fl. 60mm wide, facing upwards; perianth and other petaloid segments in three whorls, greenish white 155C with a band of brilliant greenish yellow 5A at base; the outer whorls 40mm long, very broadly ovate, truncate, slightly mucronate, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner whorl narrower, inflexed, concave or folded inwards along midrib; the corona in two whorls interspersed among the petaloid segments; the outer whorl 30mm long, brilliant greenish yellow 5A, ribbed, irregularly and shallowly lobed, with lobes overlapping; the inner whorl clustered at centre, folded and wavy, light greenish yellow 8B, sometimes touched greenish white 155C at the margins and orange (24B) towards the apex. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126595)

'Goyt Valley' 4 Y-O

(Clive Postles, 1989) Roger Braithwaite, 2016
Parentage unknown; sdlg no. 2-3-89

Fl. rounded, 105mm wide; perianth and other petaloid segments in three or more whorls; the two outer whorls ovate, blunt, spreading, concave, smooth and of heavy substance, overlapping half; the inner whorls shorter and successively more inflexed towards the centre, concave or folded inwards along midrib; corona segments one-third the length of the outer perianth segments, interspersed among the inner petaloid segments, lightly frilled and ribbed, becoming more crumpled towards the centre. Tall. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126674)

'Greenhill Koru' 4 Y-Y

(Denise E.McQuarrie, 2003) Denise E.McQuarrie, 2016
'Flying Colours' × 'Goldhanger'; sdlg no. F028

Fl. rounded, 110mm wide; perianth and other petaloid segments in three or more whorls, brilliant greenish yellow 3A; the outer two whorls 50mm long, broadly ovate, rounded at apex, with slight pale mucro, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner whorls inflexed towards centre, more nearly concave; corona segments brilliant yellow 12B, half the length of the outer perianth segments, interspersed among the inner petaloid segments, folded inwards along midrib, lightly frilled, with rim entire. Sweetly scented. Mid-season

'Greenhill Rata' 3 W-YYR

(Denise E.McQuarrie, 2004) Denise E.McQuarrie, 2016
'Lynx' × 'Invercassley'; sdlg no. J067

Fl. 118mm wide; perianth segments 56mm long, very broadly ovate, truncate, white, scarcely mucronate, spreading, plane, with margins sometimes incurving, smooth and of membranaceous substance, overlapping half or more; corona 12mm long, bowl-shaped, pale greenish yellow 1D, with vivid red 44A at rim, mouth expanded, ribbed and frilled, with rim crenate. Mid-season to late

'Greenhill Tui' 3 W-YYO

(Denise E.McQuarrie, 2005) Denise E.McQuarrie, 2016
'Lynx' × 'Invercassley'; sdlg no. J009

Fl. forming a double triangle, 112mm wide; perianth segments 52mm long, very broadly ovate, truncate, slightly mucronate, white, spreading, plane, with margins incurving, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base, blunt at apex, scarcely mucronate; corona 8mm long, bowl-shaped, ribbed, deep yellow, blending to a broad band of orange at rim, mouth expanded and lightly frilled, with rim dentate. Sweetly scented. Mid-season to late

'Guildford' 1 W-W

(L.Tomlinson, 2013) L.Tomlinson, 2016

'Harvington' hybrid

Fl. forming a double triangle, 95mm wide; perianth segments broadly ovate, blunt, slightly mucronate, white, touched yellow at base, spreading, plane, smooth and of membranaceous substance, overlapping one-third; corona funnel-shaped, smooth, white, mouth straight, ribbed and wavy, with rim crenate and narrowly flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126693)

'Hale Bopp' 6 Y-Y

(Jan Dalton, 2009) Jan Dalton, 2016

N. cyclamineus × *N. lagoi*; sdlg no. 04/1

Fl. star-shaped, 32mm wide, facing downwards; perianth segments 20mm long, lanceolate in outline, acute at apex, strongly reflexed, plane, with margins recurved, smooth and of heavy substance, overlapping at base only; corona 20mm long, cylindrical, smooth, mouth broadly flared and lightly frilled, with rim notched. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126626)

'Happy Days' 6 Y-Y

(Walter J.M.Blom, 2007) Walter J.M.Blom, 2016

N. cyclamineus × 'Gipsy Queen'; sdlg no. 229-11

Fl. star-shaped, facing upwards; perianth segments 20mm long, lanceolate, acute, vivid yellow 9B, plane, smooth and of heavy substance, separated; the inner segments narrower; corona 20mm long, cylindrical, ribbed, vivid yellow 9A, mouth a little expanded and lightly frilled, with rim flanged and notched. Dwarf. Very early to early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126711)

'High Command' 2 Y-Y

(John R.Reed) John R.Reed, 2016

'Gold Bond' × 'Wow!'; sdlg no. 2000-165-1

Mid-season

'Hillview' 5 Y-Y

(Brian S.Duncan) Dave Hardy, 2016

'Hillstar' × 'Little Bell'; sdlg no. 3804

Fls 2-3 per stem, 67mm wide, facing downwards; perianth segments 28mm long, ovate, blunt, mucronate, reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments a little narrower, scarcely mucronate; corona 11mm long, cup-shaped, smooth, mouth straight and a little wavy, with rim entire. Dwarf. Mid-season to late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126706)

'Hot Pants' 2 W-P

(Colin Crotty, 2007) Colin Crotty, 2015
'Neon Blaze' × 'Alpine Dream' [unregistered];
Sdlg no. 15-07

Fl. 112mm wide; perianth segments 49mm long, broadly ovate, blunt, mucronate, pure white, spreading, concave, with margins incurling, smooth and of heavy substance, overlapping half or more; the inner segments narrower, truncate, scarcely mucronate, shouldered at base; corona 27mm long, cup-shaped, angled, opening red becoming pink, mouth wavy and lightly frilled, with rim dentate. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126576)

'Ice Capades' 1 W-W

(John R.Reed) John R.Reed, 2016
'Rhapsody' × 'Chaste'; sdlg no. 94-129-1
Early

'Iced Lemon' 3 Y-Y

(Brian S.Duncan) Dave Hardy, 2016
'Moon Shadow' × 'Lemma'; sdlg no. 3659
Fl. forming a double triangle, 98mm wide; perianth segments 39mm long, very broadly ovate, blunt, with pale mucro, spreading, plane, with margins incurved, creased and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 11mm long, bowl-shaped, angled, mouth expanded, wavy and lobed, with lobes overlapping in places, rim minutely crenate. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126710)

'Thakara Goldie' 8 Y-Y

(Wilfred Hall, 2007) Wilfred Hall, 2016
Sdlg GMX-100 × sdlg 97T10; sdlg no. G100-2
Fls 8–15 per stem; perianth segments broadly ovate, blunt, light greenish yellow 8B, with prominent white mucro, spreading, concave, with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments a little narrower, shouldered at base, less prominently mucronate; corona bowl-shaped, smooth, vivid yellow 13A, mouth straight and even, with rim entire. Sweetly scented. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126590)

'Indiana Sunrise' 2 Y-O

(Charles Wheatley) Joe Hamm, 2016
Parentage unknown; sdlg no. 99-35-11
Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, yellow, deepening in tone towards base, a little reflexed, plane, with margins incurved, creased and of heavy substance, overlapping half; the inner segments narrower,

scarcely mucronate, more nearly spreading; corona funnel-shaped, smooth, mouth flared, ribbed and wavy, with rim minutely crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126686)

'Insight' 1 Y-P

(J.A.Hunter, 2004) J.A.Hunter, 2016
'American Heritage' × (Hamilton sdlg × ['Hicol' × 'Vital']); sdlg no. 25/99B
Fl. 105mm long; perianth segments 42mm long, broadly ovate, blunt, brilliant yellow 8A, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments shouldered at base; corona 42mm long, cylindrical, lightly ribbed, strong yellowish pink 37A, mouth straight and even, with rim notched and slightly flanged. Mid-season

'Interview' 2 W-P

(J.A.Hunter, 2009) J.A.Hunter, 2016
Sdlg 53/95A × 'Pink Cosmos'; sdlg no. 13/04D
Fl. 118mm wide; perianth segments 46mm long, broadly ovate, rounded, white, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, truncate at apex; corona 40mm long, funnel-shaped, lightly ribbed, moderate yellowish pink 38B, mouth expanded, ribbed and wavy, with rim notched. Mid-season

'Island Queen' 2 W-P

(Mary Lou Gripshover, 2002) Mary Lou Gripshover, 2016
'Personable' × 'Culmination'; sdlg no. 95-28-1
Perianth segments broadly ovate, truncate, prominently mucronate, reflexed, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, spreading, scarcely mucronate, with margins incurving or a little wavy; corona cup-shaped, angled, mouth expanded and lightly frilled, with rim notched. Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126637)

'Jacob Lee' 8 Y-O

(T.E.Snazelle, 2007) T.E.Snazelle, 2016
'Bright Spangles' × *N. willkommii*; sdlg no. 01/01/06
Fls 3–5 per stem, 42mm wide; perianth segments 17mm long, roundish, truncate, yellow, with pale mucro and midrib, spreading, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, more nearly ovate, less prominently mucronate; corona 6mm long, bowl-shaped, mouth straight, ribbed and a little wavy, with rim minutely crenate. Sweetly scented. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126657)

'Janans Gold' 1 Y-Y

(Brian S.Duncan, 2011) Brian S.Duncan, 2016
N. obvallaris × *N. primigenius?*; sdlg no. 3929
Fl. star-shaped, 55mm wide, deep golden yellow;
perianth segments 22mm long, ovate, blunt, with
slight white mucro, inflexed, plane, with midrib
showing, of heavy substance, overlapping a quarter;
the inner segments narrower, uniformly twisted
(propeller-like), scarcely mucronate; corona 23mm
long, cylindrical, angled, mouth straight and lightly
frilled, with rim notched and widely flanged.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126618)
Etymology: Named for Jan & Ans Pennings in
celebration of their Golden wedding anniversary

'Jennings Hall' 8 W-Y

(T.E.Snazelle, 2005) T.E.Snazelle, 2016
'Bright Spangles' × *N. jonquilla*; sdlg no. 99/2/2
Fls 5–8 per stem, 40mm wide; perianth segments
15mm long, very broadly ovate, blunt, prominently
mucronate, opening yellow becoming white,
spreading, concave, smooth and of heavy substance,
overlapping half or more; the inner segments scarcely
mucronate, with margins incurling or wavy, inflexed;
corona 6mm long, bowl-shaped, opening orange
becoming yellow, mouth expanded, ribbed and a
little wavy, sometimes three-lobed, with rim minutely
crenate. Sweetly scented. Early.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126659)

'Joe Bell' 1 W-Y

(Denise E.McQuarrie, 2010) Denise E.McQuarrie, 2016
'Stormy Weather' × 'Silver Mix'; sdlg no. J087
Fl. forming a double triangle, 123mm wide; perianth
segments 52mm long, broadly ovate, blunt, slightly
mucronate, yellowish white 155D, touched yellow at
base, spreading, plane, smooth and of heavy
substance, overlapping half; the inner segments
narrower, shouldered at base; corona 52mm long,
funnel-shaped, smooth, vivid yellow 9B, mouth
expanded, wavy and ribbed, with rim flanged and
crenate. Mid-season

'Kinpauch' 2 Y-P

(Graeme & Faith Miller, 2008) Graeme & Faith
Miller, 2016
'Tearaway' × 'American Dream'; sdlg no. GM08-38
Fl. 106mm wide; perianth segments 42mm long, ovate,
blunt, light greenish yellow 4D, spreading, concave,
creased and of membranaceous substance, overlapping
half; the inner segments narrower, shouldered at base;
corona 41mm long, funnel-shaped, angled, light
yellowish pink 38D, mouth flared and lightly frilled,
with rim, dentate. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126731)

'Laura Louise' 2 W-P

(Brian S.Duncan, 2009) Mrs Ann Elliott, 2016
'Happy Dreams' × 'Amazing Grace'; sdlg no. 3631
Fl. rounded, 102mm wide; perianth segments 40mm
long, broadly ovate, white, spreading, plane, with
margins a little incurved, smooth and of heavy
substance, overlapping half or more; the inner
segments narrower, shouldered at base; corona 16mm
long, smooth, deep coral pink, mouth expanded and
frilled, with rim crenate. Mid-season

'Lemon Curd' 2 W-Y

(Graeme & Faith Miller, 2008) Graeme & Faith
Miller, 2016
'Port Albert' × 'Pops Legacy'; sdlg no. GM08-13
Fl. 112mm wide; perianth segments 45mm long,
roundish, blunt, slightly mucronate, greenish white
155A, tinged yellow at base, spreading, concave,
creased and of heavy substance, overlapping half; the
inner segments narrower, shouldered at base, scarcely
mucronate; corona 43mm long, funnel-shaped, angled,
brilliant greenish yellow 4A, mouth flared, ribbed and
lightly frilled, with rim dentate. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126733)

'Little Frills' 1 W-W

(Brian S.Duncan, 2007) Brian S.Duncan, 2016
N. asturiensis × 'Camborne'; sdlg no. 3537
Fl. facing upwards; perianth segments 26mm long,
ovate, blunt, slightly mucronate, white, spreading,
plane, smooth and of heavy substance, overlapping
one-third; the inner segments narrower; corona
27mm long, funnel-shaped, smooth, opening cream
becoming white, mouth flared and frilled, with rim
notched. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126671)

'Little Mary Lou' 8 W-P

(H.Koopowitz, 2005) H.Koopowitz, 2016
'Pink China' × *N. dubius*; sdlg no. 03-036-8
Fls 3–4 per stem, 37mm wide; perianth segments
16mm long, broadly ovate, blunt, white, mucronate,
spreading, plane, with margins incurling, smooth,
overlapping half; the inner segments narrower,
scarcely mucronate; corona 7mm long, cup-shaped,
smooth, strong pink, mouth a little constricted, wavy,
with rim entire. Dwarf. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0126656)

'Longabaugh' 3 Y-O

(Brian S.Duncan) Dave Hardy, 2016
'African Sunset' × 'Stanway'; sdlg no. 3673
Fl. 103mm wide; perianth segments 44mm long,
broadly ovate, truncate, yellow with slight pale
mucro, spreading, concave, creased and of
membranaceous substance, overlapping half; the
inner segments narrower, shouldered at base, scarcely
mucronate; corona 10mm long, cup-shaped, angled,

orange, mouth a little expanded, wavy and narrowly ribbed, with rim notched. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126714)

'Ludo' 1 W-W

(Brian S.Duncan, 2007) Brian S.Duncan, 2016
N. asturiensis × 'Candlepower'; sdlg no. 3375
Fl. star-shaped, 43mm wide; perianth segments lanceolate, acute, prominently mucronate, spreading, plane or with margins wavy, creased and of membranaceous substance, overlapping at base only; the inner segments narrower; corona funnel-shaped, smooth, mouth straight and wavy, with rim notched and widely flanged. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126681)

'Marguerite Patten' 8 W-Y

(Dan du Plessis) R.A.Scamp, 2016
'Grand Monarque' × open pollinated sdlg;
Sdlg no. 71-431
Fls up to 5 per stem, rounded, 66mm wide; perianth segments 26mm long, very broadly ovate in outline, rounded at apex, prominently mucronate, spreading, plane or with margins incurved to a little wavy, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate, inflexed; corona 6mm long, bowl-shaped, mouth expanded, ribbed and wavy, with rim crenate. Strongly scented. Tall. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY01256625)
Etymology: Named at the request of the Guild of Food Writers

'Marine Corps' 2 W-YYO

(Nial Watson, 2000) Ringhaddy Daffodils, 2016
'Northern Sceptre' × 'Royal Marine'; sdlg no. W161
Fl. 111mm wide; perianth segments 47mm long, broadly ovate, mucronate, white, spreading, concave, with margins incurving, smooth and of heavy substance; the inner segments narrower, shouldered at base; corona 18mm long, disc-shaped, ribbed, vivid yellow 13A with a band of vivid orange 28B at rim, mouth even and lobed, with rim notched and crenate. Sweetly scented. Mid-season

'Mary Poppins' 10 Y-Y

(Walter J.M.Blom) C.van der Veek, 2015
Parentage unknown
Fl. star-shaped, 41mm wide, facing upwards, creamy white with overtones of yellow; perianth segments 16mm long, lanceolate, acute, a little inflexed, concave, smooth and of heavy substance, separated; corona 22mm long, cup-shaped, smooth, mouth a little wavy, broadly ribbed and shallowly lobed, with rim entire and somewhat constricted. Dwarf. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126567)
AM(e) February 2016

'Maverion' 9 W-YYR

(J.A.Hunter, 1996) J.A.Hunter, 2016
'Campion' × Verry *N. poeticus* sdlg; sdlg no. 109/91A
Fl. 70mm wide; perianth segments 29mm long, roundish, very broad, mucronate, white, spreading to a little reflexed, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, ovate, truncate, scarcely mucronate, more nearly plane; corona 4mm long, disc-shaped, very lightly ribbed, brilliant yellow 8A, with a narrow band of orange-red (33A) at rim, mouth straight and wavy, with rim minutely crenate. Dwarf. Mid-season

'Miami Trace' 9 W-GYR

(Mary Lou Gripshover, 2002) Mary Lou Gripshover, 2016
Evans sdlg N25 open pollinated; sdlg no. 96-14
Fl. 60mm wide; perianth segments 25mm long, ovate, blunt, reflexed, plane, with margins incurved or a little wavy, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 3mm long, disc-shaped, smooth, mouth straight, narrowly ribbed and a little wavy, with rim crenate. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126638)

'Mischa' 2 W-P

(Colin Crotty, 2007) Colin Crotty, 2015
'Neon Blaze' × 'Wild Star'; sdlg no. 30-07
Fl. 115mm wide; perianth segments 46mm long, roundish, truncate, prominently mucronate, pure white, spreading, concave, with margins incurving, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona 22mm long, funnel-shaped, ribbed, bright mid-pink, mouth flared, frilled and irregularly lobed, with rim dentate. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126577)

'Miss Lizzy' 5 Y-Y

(K.van der Veek, 2003) Ivor Fox, 2016
'Chipper' hybrid
Fls 5 per stem, star-shaped, 78mm wide, facing downwards, vivid yellow 9A; perianth segments 33mm long, oblong, blunt, with slight pale mucro, a little reflexed, plane, with margins incurving or a little wavy, smooth and of heavy substance, overlapping at base only; the inner segments more nearly spreading; corona 27mm long, cup-shaped, smooth, mouth straight, ribbed and a little wavy, with rim minutely crenate. Strongly and sweetly scented. Dwarf. Mid-season.
Nomenclatural Standard: RHS colour print (WSY0126641)

'Mongo' 1 Y-P

(Charles Wheatley) Larry Wier, 2016
 Parentage unknown; sdlg no. 09-1
 Fl. rounded, 89mm wide; perianth segments 37mm long, roundish, mucronate, spreading, plane, smooth and of heavy substance; the inner segments shouldered at base; corona 37mm long, funnel-shaped, ribbed, mouth straight and wavy, with rim crenate. Mid-season

'Moonlight Sensation' 5 Y-Y

(K.van der Veek) Brent & Becky's Bulbs, 2016
 Parentage unknown
 Fls up to 6 per stem, star-shaped, 67mm wide, facing downwards, light yellow (paler than 4D); perianth segments 30mm long, ovate to oblong, blunt, mucronate, spreading, plane, with margins a little recurved, with midrib showing, of membranaceous substance, overlapping at base only; the inner segments narrower, scarcely mucronate; corona 16mm long, cup-shaped, ribbed, mouth straight and even, with rim very narrowly flanged and minutely crenate. Strongly scented. Mid-season.
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126604)

'Morrinsville' 2 Y-R

(P.D.K.Ramsay, 2007) P.D.K.Ramsay, 2015
 'Copper Sheen' × 'Cameo Fire'; sdlg no. 07:26
 Fl. 116mm wide; perianth segments 50mm long, ovate, blunt to a little truncate, spreading, plane, with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, blunt; corona 40mm long, cup-shaped, smooth, mouth flared, ribbed and wavy, with rim notched. Early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126573)
 Etymology: Named for the centenary of the Morrinsville Horticultural Society

'Moss Valley' 3 W-GYY

(Colin Crotty, 1982) Colin Crotty, 2015
 'Kimmeridge' × 'Purbeck'; sdlg no. CC14-82
 Fl. 75mm wide; perianth segments 32mm long, very broadly ovate, truncate, mucronate, white, reflexed, concave, with margins incurved, midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, ovate, blunt, not noticeably mucronate; corona 9mm long, cup-shaped, angled, pale yellow, deepening in tone towards the rim, vivid green at base, mouth flared, wavy and irregularly lobed, with rim minutely crenate. Strongly scented. Late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126581)

'Mottles' 7 YYW-Y

(J.A.Hunter, 2004) J.A.Hunter, 2016
 ('Hillstar' × {'Hicol' × 'Value'} × 'Obsession') × 'Emerald Sea'; sdlg no. 67/99 I
 Fls 3–6 per stem, 75mm wide; perianth segments

32mm long, broadly ovate, blunt, brilliant greenish yellow 2B, with white at base, spreading, plane, with margins a little incurving, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 13mm long, bowl-shaped, lightly ribbed, light greenish yellow 3C, mouth expanded and wavy, with rim entire. Strongly scented. Very early

'Mount Tutoko' 1 W-W

(Malcolm Wheeler, 2006) Malcolm Wheeler, 2016
 Sdlg Q9 × 'Fiordland Star'; sdlg no. M78B
 Fl. 110mm wide; perianth segments 45mm long, broadly ovate, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 47mm long, cylindrical, smooth, mouth even and a little flared, with rim notched. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126584)

'Murielle' 8 W-Y

(Wilfred Hall, 2006) Wilfred Hall, 2016
 'Grand Monarque' × 'Merridee' [unregistered];
 Sdlg no. GMX-192
 Fls 3–5 per stem, 55mm wide; perianth segments 22mm long, ovate, blunt, prominently mucronate, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 9mm long, bowl-shaped, smooth, mouth straight and wavy, with rim entire. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126730)

'My Belle' 5 W-W

(K.van der Veek, 2003) Ivor Fox, 2016
 'Chipper' hybrid
 Fls 5 per stem, star-shaped, 75mm wide, facing downwards, greenish white 155C; perianth segments 35mm long, oblong, blunt, mucronate, spreading, plane, with margins incurving or a little wavy, smooth and of heavy substance, overlapping at base only; corona 16mm long, cup-shaped, angled, mouth straight, ribbed and wavy, with rim crenate. Strongly and sweetly scented. Dwarf. Mid-season.
 Nomenclatural Standard: RHS colour print (WSY0126644)

'Nancy's Fancy' 8 W-P

(H.Koopowitz, 2008) H.Koopowitz, 2016
 'Pink China' × *N. dubius*; sdlg no. 2003-036-15
 Fls 2–4 per stem, 35mm wide; perianth segments 13mm long, broadly ovate, blunt, white, prominently mucronate, spreading, concave, smooth, overlapping half; the inner segments narrower, scarcely mucronate; corona 8mm long, cup-shaped, smooth, pink, slightly deeper in tone towards rim, mouth straight or a little constricted, wavy, with rim entire. Dwarf. Late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126658)

'New Design' 1 W-YP

(Brian S.Duncan) Dave Hardy, 2016
'Ben Aligin' × 'Korora Bay'; sdlg no. 3436
Fl. 112mm wide, facing downwards; perianth segments 43mm long, very broadly ovate, blunt, mucronate, spreading, concave, creased and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 45mm long, funnel-shaped, angled, mouth expanded, wavy to lightly frilled, with rim flanged and crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126718)

'Newstead Jubilee' 2 W-Y

(Newstead School, 2015) Graeme & Faith Miller, 2016
Parentage unknown
Fl. 104mm wide; perianth segments 44mm long, broadly ovate, blunt, slightly mucronate, greenish white 155C, spreading, concave, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona 20mm long, bowl-shaped, angled, brilliant greenish yellow 4A, mouth lobed and finely ribbed, with lobes overlapping in places, rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126735)
Etymology: Bred and named by pupils of Newstead School, New Zealand

'Nodessa' 6 W-P

(J.de Winter) M.H.van der Zon & Sons, 2016
Parentage unknown
Fl. forming a double triangle, 117mm wide, facing downwards; perianth segments 51mm long, ovate, blunt, mucronate, greenish white (155A), reflexed, convex, with margins incurved, with midrib showing, of membranaceous substance, overlapping half; the inner segments narrower, not noticeably mucronate; corona 40mm long, cylindrical, angled, orange-pink (27A), mouth expanded, wavy and narrowly ribbed, with rim crenate and narrowly flanged. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126607)

'Offspring' 11a W-WPP

(Colin Crotty, 2007) Colin Crotty, 2015
'Leisa' [unregistered] × 'Lady Caro'; sdlg no. 17-07
Fl. 98mm wide; perianth segments 38mm long, broadly ovate, truncate, mucronate, white, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona segments 30mm long, split to base, each closely overlying a perianth segment, forming an outer and an inner whorl of three, three-quarters the length of and almost the same width as the perianth segments, bi-lobed, with lobes overlapping, opening light pink with overtones of yellow, maturing to creamy pale pink, white at base.

Strongly scented. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126578)

'Oker' 2 Y-O

(Clive Postles) Roger Braithwaite, 2016
Parentage unknown; sdlg no. 284
Fl. rounded, 108mm wide; perianth segments roundish, very broad, blunt, yellow with slight pale mucro, spreading, plane, with margins incurving, creased and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona cup-shaped, smooth, mouth straight and frilled, with rim notched. Tall. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126676)

'Oregon Spring' 10 Y-Y

(Walter J.M.Blom, 2006) Walter J.M.Blom, 2016
Sdlg 628-3 × 'Julia Jane'; sdlg no. 112-5
Fl. star-shaped, facing upwards; perianth segments 20mm long, lanceolate, acute, greenish yellow (145A), spreading, plane, with margins wavy, smooth and of heavy substance, separated; corona 20mm long, bowl-shaped, smooth, light yellow 160B, mouth widely expanded, wavy, with rim entire. Sweetly scented. Dwarf. Very early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126709)

'Outer Rim' 1 W-W

(Larry Wier, 1996) Larry Wier, 2016
'Pitchroy' × 'Lady Slim'; sdlg no. 91-4
Fl. forming a double triangle, 95mm wide; perianth segments 39mm long, very broadly ovate, blunt, slightly mucronate, spreading, plane, with margins a little incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 44mm long, funnel-shaped, smooth, mouth flared, ribbed and lightly frilled, with rim notched. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126651)

'Pacific Flash' 2 Y-YOO

(J.A.Hunter, 2010) J.A.Hunter, 2016
'Pacific Fire' × 'Cameo Frills'; sdlg no. 73/05A
Fl. 110mm wide; perianth segments 45mm long, ovate, brilliant yellow 7A, spreading, plane, smooth and of heavy substance; corona 22mm long, funnel-shaped, vivid orange 28B, with yellow at base. Mid-season

'Pacific Hope' 2 Y-YOO

(J.A.Hunter, 2010) J.A.Hunter, 2016
'Pacific Fire' × 'Cameo Frills'; sdlg no. 73/05B
Fl. 110mm wide; perianth segments 44mm long, broadly ovate, brilliant yellow 7A, spreading, plane, smooth and of heavy substance; corona 24mm long, funnel-shaped, vivid orange 28B, with yellow at base, mouth wavy. Mid-season

'Pale Wren' 7 Y-GYY

(J.L.Akers, 2015) J.L.Akers, 2016

N. poeticus var. *hellenicus* × *N. scaberulus*;

Sdlg no. JLA15/2

Fls 2–3 per stem, 35mm wide; perianth segments 14mm long, roundish, very broad, truncate, light greenish yellow 6D, with pale mucro, reflexed, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, scarcely mucronate; corona 5mm long, cup-shaped, vivid yellow 14B, with green at base, mouth ribbed, wavy and a little constricted, with rim minutely crenate. Dwarf. Late.

Nomenclatural Standard: RHS colour print (WSY0126614)

'Peach Blossom' 6 W-O

(Walter J.M.Blom, 2007) Walter J.M.Blom, 2016

'Reggae' × *N. cyclamineus*; sdlg no. 040-5

Perianth segments 30mm long, ovate, blunt, greenish white 155A, with green at base, reflexed, with margins a little wavy, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 20mm long, funnel-shaped, ribbed, mouth straight and wavy, with rim crenate. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126705)

'Peeping Jenny' 6 W-Y

(K.van der Veek) G.Preijde, 2015

Parentage unknown; sdlg no. KV1

Fl. 90mm wide, facing upwards; perianth segments 38mm long, ovate, blunt, opening greenish white 155A becoming bluish white N155A, spreading, convex or twisted, with margins recurved, with midrib showing, of heavy substance, overlapping one third; the inner segments narrower; corona 37mm long, cylindrical, angled, opening brilliant greenish yellow 5A becoming light greenish yellow 6D, mouth ribbed and wavy, with rim entire and widely flanged. Sweetly scented. Early to mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126548)

'Pensford' 1 W-P

(Clive Postles) Roger Braithwaite, 2016

Parentage unknown; sdlg no. 306

Fl. 110mm wide; perianth segments roundish, very broad, slightly mucronate, spreading, concave, creased and of membranaceous substance, overlapping half; the inner segments more nearly ovate, shouldered at base; corona funnel-shaped, angled, mouth flared, ribbed and wavy, with rim notched. Tall. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126678)

'Perak' 4 W-YYP

(R.A.Scamp, 1994) R.A.Scamp, 2016

Sdlg ('Dailmanach' × 'Accent') × 'Suisgill'; sdlg no. 824

Fl. rounded, 99mm wide; perianth and other petaloid

segments in three or more whorls, white; the two outer whorls 35mm long, very broadly ovate, blunt, slightly mucronate, spreading, plane, with margins incurved, smooth, with some creasing at margins, membranaceous, overlapping half or more; the inner segments narrower, scarcely mucronate; the inner whorls successively shorter and more strongly inflexed toward the centre, concave or folded along midrib; corona segments three-quarters the length of the inner petaloid segments and interspersed among them, successively shorter and more clustered towards centre, pale yellow with pink at rim, frilled. Late.

Nomenclatural Standard: colour print supplied by registrant (WSY0126627)

'Pink Panda' 2 P-P

(John R.Reed) John R.Reed, 2016

'Mowana' × 'Pink Flush'; sdlg no. 98-214-2009-1

Very late

'Pompier' 2 Y-YYO

(C.van der Veek) C.van der Veek, 2016

Parentage unknown; sdlg no. F49

Fl. 125mm wide; perianth segments 50mm long, broadly ovate, blunt, yellow with prominent white mucro, spreading, concave, with margins incurving, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 41mm long, funnel-shaped, angled, yellow with strong orange towards rim, mouth a little constricted, broadly ribbed and shallowly lobed, with rim notched.

Name means 'firefighter' in Italian.

Nomenclatural Standard: colour print supplied by registrant (WSY0126610)

'Profound' 2 W-P

(J.A.Hunter, 2005) J.A.Hunter, 2016

('Dailmanach' × ['Precedent' × 'Verran']) ×

'Absolute'; sdlg no. 68/00A

Fl. 127mm wide; perianth segments 55mm long, very broadly ovate, white, spreading, plane, smooth and of heavy substance; corona 39mm long, funnel-shaped, light yellowish pink 38C, mouth flared and wavy.

Mid-season

'Prom Dance' 11A W-Y

(USA source) J.S.Pennings, 2016

Sdlg no. JSP97-12

Fls 2–3 per stem, forming a double triangle; perianth segments ovate, blunt, prominently mucronate, opening pale yellow-green 4D becoming white (paler than greenish white 155A), spreading, plane, with margins incurving, creased and of membranaceous substance, overlapping a quarter; the inner segments more narrowly ovate, shouldered at base, scarcely mucronate; corona split almost to base, the six segments half the length and almost the same width as the perianth segments and closely overlying them, bid-lobed, with lobes overlapping, wavy, opening vivid yellow 9A becoming light

greenish yellow 6D. Sweetly scented. Mid-season.
Nomenclatural Standard: RHS colour print
(WSY0126624)

'Prosecco' 7 W/P-P

(K. van der Veeke) W.van Lierop & Sons, 2016
Parentage unknown

Fls 2 per stem, 82mm wide; perianth segments 33mm long, broadly ovate, blunt, prominently mucronate, white, flushed light yellowish pink 159A, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, less prominently mucronate; corona 20mm long, cup-shaped, angled, orange-pink (22B), with orange-pink (20B) at rim and greyed orange-pink (163B) at base, mouth a little expanded, ribbed and wavy, with rim crenate and narrowly flanged. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126597)

'Punkatula' 2 Y-Y

(C.Higgins, 2005) C.Higgins, 2016
'Dutch Master' × unknown 1Y-Y miniature;
Sdlg no. 05/08

Fl. 65mm wide, facing upwards; perianth segments broadly ovate, blunt, with pale micro, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona funnel-shaped, angled, mouth wavy, with rim notched and broadly flanged. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126652)

'Quillaye' 7 Y-Y

(Wilfred Hall, 2007) Wilfred Hall, 2016
'Limequilla' self-pollinated; sdlg no. LQ-22

Fls up to 5 per stem, 58mm wide, vivid yellow 9A; perianth segments 22mm long, obovate, blunt, spreading, plane or with margins incurving, smooth or occasionally with midrib showing, of heavy substance, overlapping half; the inner segments slightly narrower; corona 17mm long, funnel-shaped, angled, mouth straight, a little wavy, with rim entire. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126591)

'Rainbows Gold' 4 Y-O

(Clive Postles) Roger Braithwaite, 2016
Parentage unknown; sdlg no. 2-92

Fl. rounded, 110mm wide; perianth and other petaloid segments in many closely overlying whorls, ovate, blunt, yellow with slight pale micro, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner whorls successively shorter and more strongly inflexed towards the centre, more nearly concave, scarcely mucronate; corona segments one-third the length of the outer perianth segments, interspersed among the

inner petaloid segments, orange, crumpled. Tall. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126680)

'Rainbows Lark' 4 Y-O

(Clive Postles, 1993) Roger Braithwaite, 2016
Parentage unknown; sdlg no. 296

Fl. rounded, 105mm wide; perianth and other petaloid segments in three or more whorls, ovate, truncate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner whorls successively shorter and more strongly inflexed towards the centre, concave or folded along midrib; corona segments half the length of the outer perianth segments, interspersed among the inner petaloid segments, folded and notched. Tall. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126682)

'Ramar Prince' 3 Y-R

(G.J.Phillips, 2000) G.J.Phillips, 2016

'Ramar' × sdlg A55-1 ('Loch Loyal' × 'Nelaromi');
Sdlg no. G7-7

Fl. 105mm wide; perianth segments 46mm long, ovate, blunt, yellow with slight pale micro, spreading, plane with margins narrowly incurving towards apex, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 15mm long, bowl-shaped, smooth, mouth expanded, ribbed and lightly frilled, with rim notched. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126719)

'Ramar Queen' 3 Y-YOO

(G.J.Phillips, 2001) G.J.Phillips, 2016

'Ramar' × sdlg A55-1 ('Loch Loyal' × 'Nelaromi');
Sdlg no. G7-9

Fl. 104mm wide; perianth segments 45mm long, roundish, very broad, truncate, yellow with slight pale micro, spreading, concave, smooth and of membranaceous substance, overlapping half or more; corona 14mm long, bowl-shaped, mouth expanded and lightly frilled, with rim crenate. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126721)

'Regal Glow' 1 Y-Y

(Nial Watson, 2003) Ringhaddy Daffodils, 2016
'Gold Convention' × 'Roi d'Or'; sdlg no. W334

Fl. 112mm wide; perianth segments 42mm long, very broadly ovate, blunt, vivid yellow 12A with slight white micro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 51mm long, funnel-shaped, smooth, brilliant yellow 13B, mouth a little expanded, even and shallowly lobed, with rim notched and neatly rolled. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126599)

'Retro Rose' 2 W-PPR

(Colin Crotty, 2009) Colin Crotty, 2015
 'Neon Blaze' × 'Hot Secret'; sdlg no. 29-09
 Fl. rounded, 106mm wide; perianth segments 36mm long, roundish, very broad, blunt, slightly mucronate, pure white, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, ovate, scarcely mucronate; corona 20mm long, bowl-shaped, smooth, reddish pink, with a broad band of pinkish red at rim, mouth expanded, ribbed, lightly frilled and irregularly lobed, with rim dentate. Strongly scented. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126579)

'Richard's Choice' 1 Y-Y

(C.Higgins, 2008) C.Higgins, 2016
 'Frogmore' × 'Barons Court'; sdlg no. 10-31
 Fl. star-shaped, 78mm wide; perianth segments 30mm long, ovate, blunt, with pale mucro, spreading, plane, with margins incurved, smooth and of heavy substance, overlapping at base only; corona 33mm long, cylindrical, smooth, mouth a little expanded, wavy and irregularly lobed, with rim entire. Early to mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126650)

'Rose Vasha' 2 W-P

(G.J.Phillips, 2003) G.J.Phillips, 2016
 'Naivasha' × 'Verran Rose'; sdlg no. I71-1
 Fl. 98mm wide; perianth segments 44mm long, very broadly ovate, blunt, white, tinged green at base, prominently mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 40mm long, cup-shaped, smooth, mouth expanded, lobed and narrowly ribbed, with lobes overlapping in places, rim crenate and flanged. Late.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126725)

'Royal Dutch' 1 Y-Y

(Leenen Innovation bv) Leenen Innovation bv, 2016
 Parentage unknown
 Fl. facing upwards; perianth segments broadly ovate, blunt, brilliant greenish yellow 6B, with slight white mucro, spreading, plane, with margins incurving, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona funnel-shaped, smooth, vivid yellow 9A, mouth expanded, frilled and lobed, with rim flanged and entire. Mid-season.
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126622)

'Rubilina' 2 Y-Y

(Brian S.Duncan, 2006) Brian S.Duncan, 2016
N. rupicola × 'Wee Bee'; sdlg no. 3129
 Fl. 43mm wide; perianth segments 28mm long, ovate, blunt, prominent pale mucro, spreading, plane, creased and of heavy substance, overlapping a quarter; the inner segments narrower, less prominently mucronate; corona 16mm long, cup-shaped, smooth, mouth flared, wavy and shallowly lobed, with rim entire. Dwarf. Very early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126683)

'Rusty Doodle' 2 O-O

(John R.Reed) John R.Reed, 2016
 'Cowboy' × 'Loch Lundie'; sdlg no. 98-1-2
 Early to Mid-season

'Sarikei' 4 W-Y

(M.J.Jefferson-Brown) R.A.Scamp, 2016
 Unknown × *N. jonquilla*; sdlg no. JB3
 Fl. rounded, 75mm wide; perianth and other petaloid segments in three or more whorls, yellowish creamy-white; the two outer whorls 30mm long, roundish, very broad, blunt, prominently mucronate, spreading, plane, with margins incurving, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, less prominently mucronate; the inner whorls inflexed, concave, with margins strongly incurved; corona segments half the length of the petaloid segments and interspersed among them, successively shorter and more clustered towards centre, frilled and irregularly lobed. Strongly scented. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126629)
 Etymology: Named for a village in Malaya

'Scrum Half' 1 Y-Y

(Brian S.Duncan, 2007) Brian S.Duncan, 2016
N. asturiensis × 'Camborne'; sdlg no. 3248
 Perianth segments 25mm long, ovate, blunt, slightly mucronate, spreading, plane or with margins a little wavy, creased, of heavy substance, overlapping one-third; the inner segments narrower; corona 25mm long, cylindrical, a little constricted halfway along its length, smooth, mouth flared, wavy and ribbed, with rim notched. Dwarf. Very early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126667)

'Seven Hills' 7 W-YWW

(Mary Lou Gripshover, 2002) Mary Lou Gripshover, 2016
 Sdlg ('Quick Step' open pollinated) × 'Fertile Crescent'; sdlg no. 95-20-9
 Fls 4-5 per stem, 55mm wide; perianth segments 21mm long, roundish, very broad, mucronate, white, spreading, plane, with margins narrowly incurving, creased and of heavy substance, overlapping half; the inner segments more nearly ovate, scarcely mucronate, margins wavy; corona 10mm long,

22mm wide, bowl-shaped, smooth, opening pale yellow, maturing to whitish, with yellow at base, mouth straight, broadly ribbed and wavy, with rim minutely crenate. Sweetly scented. Very late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126639)

'Shortbread' 1 W-W

(Malcolm Wheeler, 2001) Malcolm Wheeler, 2016
'Snowy Morn' × *N. cyclamineus*; sdlg no. Q22
Fl. 78mm wide, creamy white; perianth segments 33mm long, broadly ovate, blunt, scarcely mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 35mm long, funnel-shaped, smooth, creamy white, mouth irregularly ribbed, with rim flanged and dentate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126585)

'Silver Shadow' 3 W-GYY

(Brian S.Duncan) Dave Hardy, 2016
'Silverwood' × 'Limpopo'; sdlg no. 3351
Fl. rounded, 107mm wide; perianth segments 42mm long, roundish, very broad, blunt, prominently mucronate, spreading, plane, creased and of membranaceous substance, overlapping half or more; the inner segments narrower, scarcely mucronate; corona 11mm long, bowl-shaped, smooth, mouth expanded, lightly frilled, with rim entire. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126716)

'Smooth Gossip' 2 Y-ORR

(G.J.Phillips, 2003) G.J.Phillips, 2016
'Kiwi Gossip' × 'Banker'; sdlg no. I112-9
Fl. 102mm wide; perianth segments 46mm long, ovate, blunt, yellow with pale mucro, spreading, plane with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 42mm long, funnel-shaped, smooth, red with orange towards base, mouth flared and narrowly ribbed, with rim crenate. Early.
Nomenclatural Standard: colour print supplied by registrant (WSY0126727)

'Snazzy' 3 Y-O

(Clive Postles) Roger Braithwaite, 2016
Parentage unknown; sdlg no. 424
Fl. 115mm wide; perianth segments broadly ovate, yellow with pale mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, more nearly plane, with midrib showing, shouldered at base; corona cup-shaped, smooth, orange, mouth expanded and ribbed, with rim notched and lightly frilled. Tall. Late to very late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126664)

'Solar Surprise' 3 W-O

(Clive Postles) Roger Braithwaite, 2016
'Dunley Hall' × 'Doctor Hugh'; sdlg no. 370
Fl. 110mm wide; perianth segments very broadly ovate, truncate, mucronate, white, touched yellow at base, spreading, plane, with margins incurling, smooth and of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona cup-shaped, smooth, orange, deepening in tone towards the rim, mouth expanded, ribbed, wavy and lobed, with lobes overlapping. Tall. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126666)

'Star Cloud' 7 YYW-YWW

(J.A.Hunter, 2003) J.A.Hunter, 2016
'Hillstar' × [{'Hicol' × 'Value'} × 'Obsession'] × 'Emerald Sea'; sdlg no. 41/98E
Fls 3–5 per stem, 70mm wide; perianth segments 30mm long, greenish yellow (2C/D), with white at base; corona 11mm long, bowl-shaped, white, with greenish yellow (4B/D) at base, mouth lobed.
Strongly and sweetly scented

Starlight Sensation' 5 W-W

(K.van der Veek) Brent & Becky's Bulbs, 2016
Parentage unknown
Fls up to 4 per stem, 65mm wide, facing downwards; perianth segments 30mm long, ovate, blunt, mucronate, greenish white (155A), reflexed, twisted, with margins incurved, with midrib showing, of heavy substance, overlapping at base only; the inner segments narrower, scarcely mucronate; corona 15mm long, cup-shaped, ribbed, greenish white (157D), mouth a little expanded, shallowly lobed and lightly ribbed, with rim entire. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by KAVB (WSY0126603)

'Status Symbol' 1 Y-O

(Clive Postles) Roger Braithwaite, 2016
Parentage unknown; sdlg no. 2-5-91
Fl. 108mm wide; perianth segments broadly ovate, blunt, mucronate, spreading, concave, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona funnel-shaped, smooth, mouth frilled and irregularly lobed, with rim minutely crenate. Tall. Early to mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126668)

'Steely Dan' 8 W-W

(Wilfred Hall, 2007) Wilfred Hall, 2016

'Grand Monarque' × 'Merridee' [unregistered];
Sdlg no. GMX-258

Fls 3–5 per stem, 60mm wide; perianth segments 25mm long, roundish, very broad, prominently mucronate, white, spreading, concave, with margins incurling, creased and of heavy substance, overlapping half or more; the inner segments narrower, ovate, shouldered at base, less prominently mucronate; corona 7mm long, bowl-shaped, ribbed, opening yellowish white 158D becoming white, mouth straight and wavy, with rim entire or sometimes notched. Early to mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126592)

'Stella Corscadden' 6 W-PYY

(R.A.Scamp, 1996) R.A.Scamp, 2015

'Memento' × *N. cyclamineus*; sdlg no. 4x91-bb3

Fl. star-shaped, 70mm wide, facing downwards; perianth segments 32mm long, lanceolate, acute, mucronate, opening yellow, maturing to white, reflexed, plane, smooth and of membranaceous substance; the inner segments overlapping at base only; corona 35mm long, funnel-shaped, ribbed, yellow with pink tones towards the base, mouth flared and a little wavy, with rim notched. Dwarf. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0126571)

'Sugar Baby Love' 2 W-P

(K.van der Veek) G.A.Preijde, 2016

Parentage unknown

Fl. 112mm wide; perianth segments 45mm long, very broadly ovate, blunt to truncate, mucronate, pinkish white (NN155B), spreading, plane, with margins incurling, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, scarcely mucronate; corona 24mm long, bowl to disc-shaped, broadly ribbed, strong yellowish pink (32C), mouth expanded, frilled and deeply lobed, with lobes overlapping, rim crenate. Strongly to sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126608)

'Sunlight Sensation' 5 Y-Y

(K.van der Veek) Brent & Becky's Bulbs, 2016

Parentage unknown

Fls 4 per stem, star-shaped, 70mm wide, facing downwards, vivid yellow 12A; perianth segments 30mm long, oblong, blunt, spreading, plane, with margins incurved, with midrib showing, of membranaceous substance, overlapping a quarter; the inner segments narrower; corona 17mm long, cup-shaped, ribbed, mouth a little expanded, wavy and shallowly lobed, with rim flanged and entire. Sweetly scented. Mid-season.

Nomenclatural Standard: colour print supplied by KAVB (WSY0126605)

'System Alert' 2 Y-R

(Brian S.Duncan) Dave Hardy, 2016

Sdlg 2328 × 'Tropical Heat'; sdlg no. 3474

Fl. 106mm wide; perianth segments 42mm long, broadly ovate, blunt, yellow with prominent pale mucro, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping half; the inner segments a little narrower, shouldered at base, less prominently mucronate; corona 15mm long, cup-shaped, smooth, red, mouth a little expanded, ribbed and wavy, with rim irregularly notched. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0126722)

'Tackett-Blake' 2 Y/W-Y

(Malcolm Wheeler, 2009) Malcolm Wheeler, 2016

Brogden sdlg 248/10 open pollinated; sdlg no. M88

Fl. 122mm wide; perianth segments 51mm long, very broadly ovate, blunt, slightly mucronate, yellow, with white towards apex and a narrow band of yellow at margin, a little reflexed, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, more nearly spreading, scarcely mucronate; corona 43mm long, cylindrical, smooth, yellow, mouth ribbed, frilled and a little expanded, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0126586)

Etyymology: Named for Nancy Tackett and Ben Blake

'Tasman Sea' 1 W-Y

(J.A.Hunter, 2009) J.A.Hunter, 2016

('My Love' × 'Empress of Ireland') × Ramsay sdlg 98-12;
sdlg no. 1/04A

Fl. 118mm wide; perianth segments 50mm long, ovate, white, spreading, plane, smooth and of heavy substance; corona 50mm long, vivid yellow 9A, mouth flared and wavy

'Taylor Dan' 8 W-O

(T.E.Snazelle, 1998) T.E.Snazelle, 2016

'Bright Spangles' × *N. jonquilla*; sdlg no. 92/2/12

Fls 5–8 per stem, 48mm wide; perianth segments 20mm long, roundish, truncate or blunt, prominently mucronate, white with yellow tones at the margin, spreading, concave, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, more nearly ovate, with margins incurving or a little wavy, shouldered at base, scarcely mucronate; corona 8mm long, bowl-shaped, orange, sometimes becoming yellowish orange, mouth expanded, ribbed and lightly frilled, with rim minutely crenate. Sweetly scented. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0126661)

'Taylor M' 2 Y-R

(R.G.Cull, 2012) R.G.Cull, 2016

'Navigator' × 'Jamore'; sdlg no. HC/F10

Fl. 110mm wide; perianth segments 49mm long, broadly ovate, truncate, slightly mucronate, brilliant yellow 13B, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 21mm long, cup-shaped, ribbed, vivid orange-red (33B), mouth straight, lightly frilled and shallowly lobed, with rim dentate. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0126611)

'Tea for Two' 5 Y-OOY

(J.de Winter, 2007) Ivor Fox, 2016

N. cyclamineus hybrid

Fls 2 per stem, 64mm wide; perianth segments 22mm long, ovate, blunt, slightly mucronate, light greenish yellow 7D, a little reflexed, plane, with margins incurved, smooth and of heavy substance, overlapping one-third; the inner segments narrower, more nearly spreading; corona 17mm long, cup-shaped, angled, orange (17C) with brilliant yellow 10A at rim, mouth straight and wavy, with rim minutely crenate. Slightly sweetly scented. Dwarf. Mid-season.
Nomenclatural Standard: RHS colour print (WSY0126647)

'The Chasm' 3 Y-GYY

(Malcolm Wheeler, 2006) Malcolm Wheeler, 2016

('New Penny' × 'Nonchalant') × 'Lemon Spice';

Sdlg no. M90C

Fl. rounded, 110mm wide; perianth segments 48mm long, broadly ovate, rounded, yellow with slight white mucro, reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona 15mm long, bowl-shaped, ribbed, yellow with deep green at base, mouth expanded and wavy, with rim minutely dentate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126588)

'Thriplow Gold' 1 Y-Y

(R.A.Scamp, 1990) R.A.Scamp, 2016

'Ormeau' × ('Saint Keverne' × 'Arctic Gold'); sdlg no. 365

Fl. 95mm wide; perianth segments 37mm long, broadly ovate, blunt, yellow with white mucro, spreading, plane, with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate; corona 38mm long, angled, yellow, funnel-shaped, mouth flared, ribbed and lightly frilled, with rim notched. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126687)

'Triple Peel' 7 W-W

(J.A.Hunter, 2000) J.A.Hunter, 2016

'Limequilla' × 'Emerald Sea'; sdlg no. 2/95H

Fls 3–5 per stem, 70mm wide; perianth segments 30mm long; corona 11mm long. Mid-season

'Tromba Rosa' 2 WWY-P

(C.van der Veek) C. van der Veek, 2016

Open pollinated sdlg; sdlg no. KV-172

Fl. rounded, facing upwards; perianth segments broadly ovate, truncate, prominently mucronate, white, touched orange-yellow at base, spreading, concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, blunt, scarcely mucronate, more nearly plane, with margins incurving; funnel-shaped, angled, vibrant orange-pink, mouth expanded, narrowly and irregularly ribbed, lobed and lightly frilled, with rim flanged and dentate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126593)

'Twin Bells' 10 G/Y-GYY

(Denise E.McQuarrie, 2006) Denise E.McQuarrie, 2016

N. bulbocodium open pollinated; sdlg no. TWN01

Fls 1–2 per stem, star-shaped, 40mm long; perianth segments 16mm long, lanceolate, acute, green with yellow at margins, spreading, plane, smooth, separated; corona 16mm long, cup-shaped, smooth, vivid yellow 13A, mouth flared and wavy, with rim entire. Dwarf. Early to mid-season

'Twinkle Gold' 7 Y-Y

(Brian S.Duncan) Dave Hardy, 2016

'Regeneration' open pollinated; sdlg no. 3226

Fls 2 per stem, 52mm wide; perianth segments 21mm long, ovate, blunt, mucronate, reflexed, plane or with margins incurved, creased and of heavy substance, overlapping one-third; the inner segments narrower, scarcely mucronate; corona 7mm long, cup-shaped, smooth, mouth wavy and a little expanded, with rim entire. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126720)

'Valley Doll' 2 W-P

(Colin Crotty, 2007) Colin Crotty, 2015

('Joseph's Coat' [unregistered] × 'Colin's Joy') × sdlg

('Pitchroy' open pollinated); sdlg no. 28-07

Fl. 105mm wide; perianth segments 41mm long, broadly ovate, blunt, mucronate, white, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, scarcely mucronate, shouldered at base; corona 21mm long, cup-shaped, angled, bright pink, a little deeper in tone towards the rim, mouth a little expanded, ribbed and frilled, with rim dentate. Strongly scented. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0126580)

'Waikanae' 1 W-Y

(Malcolm Wheeler, 2007) Malcolm Wheeler, 2016
 'Fiona MacKillop' × 'Compute'; sdlg no. M47
 Fl. forming a double triangle, 115mm wide; perianth segments 50mm long, ovate, blunt, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, scarcely mucronate, shouldered at base; corona 52mm long, cylindrical, smooth, mouth slightly expanded, even, with rim minutely dentate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126587)

'Watch Up' 1 W-W

(R.van Lierop) W. van Lierop & Sons, 2016
 Parentage unknown
 Fl. 120mm wide, facing upwards; perianth segments 40mm long, broadly ovate, blunt, mucronate, greenish white 157D, spreading, plane, with margins incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, scarcely mucronate; corona 40mm long, funnel-shaped, ribbed, opening yellow, maturing to white (157C), mouth wavy and lobed, with rim flanged and entire. Sweetly scented. Mid-season.
 Nomenclatural Standard: colour print supplied by KAVB (WSY0126621)

'Wishing Star' 7 YYW-Y

(J.A.Hunter, 2003) J.A.Hunter, 2016
 ('Hillstar' × {[Hicol' × 'Value'] × 'Obsession'}) × 'Emerald Sea'; sdlg no. 41/98F
 Fls 5–8 per stem, 75mm wide; perianth segments 33mm long, brilliant greenish yellow 1B, with white at base; corona 13mm long, bowl-shaped, brilliant greenish yellow 2B. Strongly and sweetly scented. Very early

'Wit's End' 4 Y-R

(R.A.Scamp, 1989) R.A.Scamp, 2015
 'Paricutin' × 'Tamar Fire'; sdlg no. 277 58x84
 Fl. 95mm wide; perianth and other petaloid segments in three or more whorls; the two outer whorls 35mm long, very broad, roundish, spreading, plane, smooth and of heavy substance, overlapping half or more; the inner whorls successively more inflexed towards the centre, concave, with margins incurving; corona segments half the length of the outer perianth segments, interspersed among the inner petaloid segments, crumpled and folded, with margins entire. Lightly scented. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126541)

'Yellow Dello' 7 Y-YOO

(Wilfred Hall, 2007) Wilfred Hall, 2016
 'Limequilla' × 'Elfin Dell'; sdlg no. LQ-23
 Fls 2–3 per stem, 60mm wide; perianth segments 25mm long, ovate, blunt, light greenish yellow 8C, with a paler tone (8D) at midrib, prominently mucronate, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 19mm long, cup-shaped, angled, light orange (between 29C and 28D), with pale orange-yellow 23D at base, mouth straight and narrowly ribbed, with rim narrowly flanged and minutely crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126589)

'Yellow Wren' 7 Y-GYY

(J.L.Akers, 2015) J.L.Akers, 2016
N. poeticus var. *hellenicus* × *N. scaberulus*;
 Sdlg no. JLA 15/1
 Fls 2–3 per stem, 35mm wide; perianth segments 16mm long, roundish, very broad, truncate, brilliant greenish yellow 6B, slightly deeper in tone at midrib, with pale mucro, reflexed, plane, with margins incurving or wavy, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, ovate; corona 4mm long, bowl-shaped, ribbed, vivid yellow 13A, greenish at base, mouth wavy, with rim minutely crenate. Dwarf. Late.
 Nomenclatural Standard: RHS colour print (WSY0126616)

'Zachary's Zest' 1 Y-O

(John Gibson, 2010) John Gibson, 2016
 'Corby Candle' × 'Tingdene'; sdlg no. 523-14-05
 Fl. rounded, 105mm wide; perianth segments 43mm long, very broadly ovate, blunt, vivid yellow 9A, with slight pale mucro, spreading, plane, with margins a little incurved, creased and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 43mm long, cylindrical, angled, vivid orange 28B, mouth a little expanded, wavy, irregularly and shallowly lobed, with lobes overlapping in places, rim crenate. Mid-season.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126739)

'Zeekie' 2 Y-Y

(Brian S.Duncan, 2006) Brian S.Duncan, 2016
N. rupicola × 'Wee Bee'; sdlg no. 3317
 Fl. 44mm wide; perianth segments 27mm long, ovate, blunt, with prominent pale mucro, spreading, plane, smooth and of heavy substance, overlapping a quarter; the inner segments narrower, less prominently mucronate; corona 15mm long, funnel-shaped, angled, mouth flared, wavy and shallowly lobed, with rim entire. Dwarf. Very early.
 Nomenclatural Standard: colour print supplied by registrant (WSY0126673)

ADDITIONS AND AMENDMENTS TO SUPPLEMENTS AND THE INTERNATIONAL DAFFODIL REGISTER (2008)

The compilers are grateful to those who have drawn attention to omissions from the International Daffodil Register and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular updating of the Register posted on the RHS website at:

www.rhs.org.uk/plants/plantsmanship/plant-registration/Daffodil-cultivar-registration

AMENDMENTS TO SUPPLEMENTS

FIFTH SUPPLEMENT (2011–2012)

'Autumn Magic' 12 W-Y Add: sdlg No. 04/0

SIXTH SUPPLEMENT (2012–2013)

'Video Kid' 3 Y-R Amend pollen parent to: sdlg 1776 [('Richill' × 'Border Chief') × ('Sun Magic' × 'Burning Bush')]

EIGHTH SUPPLEMENT (2014–2015)

'Breezand Tristar' Add: AGM 2014
'Stratagem' Amend seed parent sdlg 154/85: to 'Ransom'
'Sunset Skies' Amend seed parent sdlg 11a W-WP: to 'Ironstone' [unregistered]

INTERNATIONAL DAFFODIL REGISTER (2008)

AMENDMENTS

'Bright Eye'	Alter colour code to: W-YYO. See online Register for description
'Compassion'	Alter pollen parent to: 'Pol Dornie'
'Contender'	Add parentage: 'Potent' × 'Hartz'
'Di-hard'	Alter pollen parent to: 'Cryptic'
'Fides'	Alter: from Division 1 to Division 3
'Hungarian Rhapsody'	Add: AGM 2014
'Iota'	Alter seed parent to: 'Winged Flight'
'Katherine Jenkins'	Add: AGM 2014
'Luprena'	Alter pollen parent to: 'Far Fetched'
'Oxford Gold'	Add: AM(e) March 2016
'Pistachio'	Add: AGM 2014
'Regeneration'	Add: AM(e) April 2016
'Roundita'	Add: AM(e) February 2016
'Skater's Waltz'	Add: AGM 2014
'Suisgill'	Alter pollen parent to: 'Pol Dornie'
'Sweet Georgia'	Alter pollen parent to: 'Pol Dornie'
'Tekim'	Alter pollen parent to: 'Potent'
'Tuscarora'	ADS Pannill Award 2016
'Walkabout'	Alter pollen parent to: 'Cryptic'
'Whit'	Alter seed parent to: 'Winged Flight'
'Wheatear'	Add: AGM 2014

LIST OF ORIGINATORS AND REGISTRANTS

ADDITIONS

Newstead School	Hamilton, New Zealand
de Goede, J.P	Breezand, Netherlands
Elliott, Ann	Letterbreen, Enniskillen, N. Ireland
Preijde, G	Breezand, Netherlands
Stewart, Dr William	Strabane, Co. Tyrone, N. Ireland
Veul, Fa	Anna Paulowna, Netherlands
White Flower Farm	Torrington, USA

AMENDMENTS

Postles, Clive	d. November 2016
van der Hulst, Th	d. September 2016

ADDITIONS TO THE RHS LIST OF BOTANICAL NAMES IN THE GENUS *NARCISSUS* AND THE RHS BOTANICAL CLASSIFICATION

The following botanical names are additions to the *International Daffodil Register 2008*. Their treatment is the result of discussions held at a meeting on 31 March 2015 of the RHS Working Party on *Narcissus* Names. Names in **bold** are accepted names, others are synonyms. An unresolved name (see *gallaecicus*) is one that needs further investigation, as the required information is not available in the place of publication.

LIST OF BOTANICAL NAMES:

antiatlanticus Fernández Casas & Lloret i Sabaté, in *Fontqueria* 56 (28) 254 (2012) (*Narcissus*) = *N. broussonetii*

caracensis Fernández Casas, in *Fontqueria* 56 (39) 369, 372, 374–375 (2014) (*Narcissus*) = *N. × ponsii-sorollae*

diezii Hervás, in Biodiversidad news: *Publicaciones Científicas* (BVnPC) 4 (46) 21–25 (2015) (*Narcissus*) = *N. × litigiosus*

fernandezii-lopezii Hervás, in Biodiversidad news: *Publicaciones Científicas* (BVnPC) 4 (46) 21–25 (2015) (*Narcissus*) = *N. × romoi*

gadorenensis Fernández Casas, in *Fontqueria* 56 (40) 382 (2014) (*Narcissus*) = *N. calcicola*

gallaecicus Fernández Casas, in *Fontqueria* 56 (33) 308–315 (2013) (*Narcissus*) Unresolved name

malacitanus Fernández Casas, in *Fontqueria* 56 (14) 125–126 (2010) (*Narcissus*) = *N. elegans*

× *mikelii-lordae* Fernández Casas, in *Fontqueria* 56 (38) 357–366 (2014) (*Narcissus*) Section Pseudonarcissus = *N. jacetanus* Fernández Casas × *N. varduliensis* Fernández Casas & Uribe-Echebarría

rutherfordii Fernández Casas, in *Fontqueria* 56 (26 [mistakenly 25 on cover]) (2011) (*Narcissus*) = *N. × alleniae*

× *xanthochlorus* Fernández Casas, in *Fontqueria* 56 (25) 232–238 (2011) (*Narcissus*) = *N. cavanillesii* Barra & López × *N. viridiflorus* Schousboe

BOTANICAL CLASSIFICATION:

SECTION PSEUDONARCISSUS


× *mikelii-lordae* Fernández Casas (*jacetanus* × *varduliensis*)

INTERSECTIONAL HYBRIDS

× *xanthochlorus* Fernández Casas (*cavanillesii* × *viridiflorus*)

ILLUSTRATIONS OF DESCRIPTIVE TERMS

FLOWER



star-shaped



double triangle




rounded


PERIANTH SEGMENTS



reflexed



inflexed



spreading



plane



concave



twisted



ovate



*very broadly
ovate*



oblong



obovate



*shouldered
at base*



spatulate



acute



blunt



mucronate



truncate

CORONA - from the side

- section



cylinder



funnel



cup



bowl



disc



smooth



angled



ribbed

CORONA MOUTH - from the side

- section



straight



flared



even



wavy



frilled



lobed

CORONA RIM - from the side

- section



flanged



rolled



entire



dentate



crenate

ISBN 9781907057694



9 781907 057694